After Sales Customer Service Support





Videos

Manual

? FAQ

For your local contact please go to

www.bestway-service.com

2014 ABOVE GROUND POOLS COLLECTION

Shanghai

Bestway Inflatables & Material Corp. No.3065 Cao An Road, Shanghai, 201812, China Tel: 86 21 6913 5588 Fax: 86 21 5913 8383 E-mail: info@bestway-shanghai.com

Central & South America

Bestway Central & South America Ltda Salar Acostan 1282, Parque Enea, Pudahuel, Santiago, Chile Tel: 56 2 2365 0315 Fax: 56 2 2365 0323 E-mail: info@bestway-southamerica.com

Hong Kong

Bestway (Hong Kong) International Ltd. Suite 102, 1st Roor, Tsim Sha Tsui Centre, 66 Mody Road, Kowloon, Hong Kong Tel: 852 2997 7169 Fax: 852 2997 7869 E-mail: info@bestway-hongkong.com

U.S.A.


Bestway (USA) Inc. 1320 S. Priest Drive, Suite 103 Tempe, Arizona 85281, United States Tel: 1 480 838 3888 Fax: 1 480 838 1888 E-mail: info@bestway-northamerica.com

INFLATE YOUR FUN™

Europe

Bestway (Europe) s.r.l. Va Resistenza 5, 20098 San Giuliano M.se (Mi) - Italy Tel: 39 02 9884 881 Fax: 39 02 9884 8828 E-mail: info@bestway-europe.com











www.bestway-global.com

©2013 Bestway Inflatables & Material Corp. All Rights Reserved.

ABOVE GROUND POOLS COLLECTION

2014 Merchandising Display

After Sales Customer Service Support



After Sales Service For your local contact please go to www.bestway-service.com



Provide your customers with quality products and the advanced customer service support they deserve. Bestway's Internet services and toll-free call centers facilitate customers to easily resolve issues that arise with their Bestway products. Our multi-lingual website, www.bestway-service.com is a knowledgebase that offers downloadable manuals, instructional DVDs, along with FAQ and the ability for customers to order spare parts. Regional toll-free call centers provide the added dimension of support for those unfamiliar with computers or unable to find specific answers to their questions.



2014 Packaging Display



Table of Contents







The Comfortable, Affordable, Go-Anywhere Spa

Bestway's Lay-Z-Spa is the world's first premium inflatable spa. With almost a decade of advanced engineering innovations, total market dominance and a name consumers have grown to trust, The Lay-Z-Spa offers an affordable spa experience that's convenient to use, easy to set up and offers total relaxation.

Another reason consumers love The Lay-Z-Spa is because it is backed by Bestway[™] comprehensive customer support services. With online support, video tutorials outlining the step-by-step setup procedure, plus localized call centers to answer questions, customers have piece of mind and spend more time relaxing in their Lay-Z-Spa. Give your customers the best portable spa, give them The Lay-Z-Spa by Bestway.

Ready for water in 10 minutes









Premium Product Highlights

User-friendly interface and unique pump design




360° bubble jet system for a soothing massage



Heavy gauge material backed by a limited warrantee



Detachable cover keeps pool water sparkling clean and traps heat in









lere!



Relax with These Hot Features

- Enjoy 40°C (104°F) Water Temperatures Lay-Z-Massage System
- Digital Control Panel

 \bigcirc

- Easy Setup No Tools Required
- For Indoor or Outdoor Use

Water Filtration System

Rapid Heating System





The Comfortable, Affordable, Go-Anywhere Spal

Digital Control Panel Temperature Adjustment Lock/unlock Button ____ Test Button (Except #54124) LED Display Celsius or Fahrenheit emperature Mode

Specifications

| Item No.: | #54124 | #54123 |
|-----------------------|----------------------------------|----------------------------------|
| Capacity: | 4 Ac | dults |
| Water Capacity (80%): | 800 L (1 | 92 Gal.) |
| Inflated Size: | 1.80m x 65ci | m (71" x 26") |
| Filled Weight: | 1,026 kg (| 2,261 Lb.) |
| Rating: | 110-120V~60Hz, 12A at 20°C | 220-240V~50Hz, 2,050W at 20°C |
| Actual Water Flow: | ≥1,325 L/h (| ≥350 Gal./h) |
| Rapid Heating System: | Approx. 1.0-1.5°C/h (2-3°F/h) | Approx. 1.5-2.0°C/h (3-4°F/h) |
| Max. Heat Capability: | 40°C (| 104°F) |
| Certification: | ETL approved | CE / GS / EMC approved |
| Pack/Gross Weight: | 1 Ea., 30.9 kg (68.0 Lb.) | 1 Ea., 30.9 kg (68.0 Lb.) |
| | | TUXReinan ZERTF DERT |

Spa Features

Inflatable Spa with Reinforced Cover

emperature Adjustment Lav-Z-Massage Activation

Water Filter Activation

Heat Activation

Celsius/Fahrenheit Mode Toggle

Reinforced Cover with Velcro

Digitally Controlled Pump Lay-Z-Massage System Rapid Heating System Water Filtration System

New

Package Also Includes

Free DVD Detailing Spa Setup and Maintenance



Two Filter Cartridges #58239



Chemical Floater #58210





Watch the Commerical lerel



- Enjoy 40°C (104°F) Water Temperatures Lay-Z-Massage System
- Digital Control Panel

 \bigcirc


- Easy Setup No Tools Required
- For Indoor or Outdoor Use

- Water Filtration System
- Rapid Heating System



The Comfortable, Affordable, Go-Anywhere Spal

Digital Control Panel



Specifications

| Item No.: | #54115 | #54112 | | | | | |
|---|-------------------------------|---------------------------------------|--|--|--|--|--|
| Capacity: | 4 Ac | dults | | | | | |
| Water Capacity (80%): | 848 L (2 | 24 Gal.) | | | | | |
| Inflated Size: | 1.96m x 61ci | m (77" x 24") | | | | | |
| Filled Weight: | 1,100 kg (| 2,426 Lb.) | | | | | |
| Rating: | 110-120V~60Hz, 12A at 20°C | 220-240V~50Hz, 2,050W at 20°C | | | | | |
| Actual Water Flow: | ≥1,325 L/h (| ≥350 Gal./h) | | | | | |
| Rapid Heating System: Approx. 1.0-1.5°C/h (2-3°F/h) Approx. 1.5-2.0°C/h (3-4°F/h) | | | | | | | |
| Max. Heat Capability: 40°C (104°F) | | | | | | | |
| Certification: | ETL approved | CE / GS / EMC approved | | | | | |
| Pack/Gross Weight: | 1 Ea., 40.1 kg (88.4 Lb.) | 1 Ea., 40.1 kg (88.4 Lb.) | | | | | |
| | | Posting TUVRheinfang ZERTFIZERT | | | | | |

Spa Features

Digitally Controlled Pump Lay-Z-Massage System **Rapid Heating System** Water Filtration Syste

Inflatable Spa with Leatheroid Cover

Leatheroid Cover with Clips

Package Also Includes



Free DVD Detailing Spa Setup and Maintenance



Two Filter Cartridges #58239



Chemical Floater #58210





Watch the Commerical lere!




Relax with These Hot Features

• Enjoy 40°C (104°F) Water Temperatures • Lay-Z-Massage System

- Digital Control Panel
- Easy Setup No Tools Required
- For Indoor or Outdoor Use

- Water Filtration System
- Rapid Heating System



 \bigcirc

The Comfortable, Affordable, Go-Anywhere Spa!

Specifications

Temperature Adjustment Item No.: #54116 #54113 Lock/unlock Button Capacity: 4 Adults ____ Test Button (Except #54116) Water Capacity (80%): 1,540 L (407 Gal.) LED Display Inflated Size: 2.01m x 69cm (79" x 27") 1,973 kg (4,349 Lb.) Filled Weight: Celsius or 110-120V~60Hz, 12A at 20°C 220-240V~50Hz, 2,050W at 20°C Fahrenheit Rating emperature Actual Water Flow: ≥1,325 L/h (≥350 Gal./h) Mode Approx. 0.5-1.0°C/h Approx. 1.0-1.5°C/h (2-3°F/h) Temperature Rapid Heating System: (1-2°F/h) Adjustment 40°C (104°F) Max. Heat Capability: Lav-Z-Massage CE/GS/EMC Certification: Activation approved approved 1 Ea., 45.5 kg (100.2 Lb.) 1 Ea., 45.5 kg (100.2 Lb.) Water Filter Activation Pack/Gross Weight: Celsius/Fahrenheit Mode Toggle Heat Activation Spa Features Multi-Functional Hand Pump Digitally Controlled Pump Lay-Z-Massage System Inflatable Spa with Leatheroid Cover Leatheroid Cover with Clips Rapid Heating System Water Filtration System TAXABLE PARTY. #62085 • Air volume: 2 x 2,000 cc 4 valve adaptors to fit nearly every inflation valve High pressure pump Heavy-duty construction Full color box

Package Also Includes

Digital Control Panel



Free DVD Detailing Spa Setup and Maintenance



Two Filter Cartridges #58239



• 4 Ea., 4.6 kg (10.1 Lb.)

Chemical Floater #58210



11-

 \bigcirc

DNDK

0



Relax with These Features

- Easy Setup No Tools Required
- For Indoor or Outdoor Use
- Lay-Z-Massage System
- Water Filtration System



0

The Comfortable, Affordable, Go-Anywhere Spa!



#54100

#54102



Heavy Gauge PVC Polvester Mesh Heavy Gauge PVC

Extra strength side walls are made with 3 separate layers of material. The inner layer of polyester mesh is laminated to the 2 outer heavy gauge PVC layers. This creates a total thickness of 0.40-0.80 mm (16-32 ga.) depending on the size of the pool

| Item No.DVDPackagePackkg (Lb.)RemarkFilter Pump#57008Color Box16.1 (13.4) | Voltage | Filter Cartridge |
|---|-----------------------|------------------------|
| #57008 Color Box 1 61 (13.4) | | |
| | | |
| #57099 Color Box 1 8.5 (18.7) #58144 (330 ga | | #58168 🕡 💷 |
| #57099US Color Box 1 8.6 (19.0) U.S.A. #58144US (330 | gal.) 110-120V W/GFCI | #30100 |
| #57100 Color Box 1 8.0 (17.6) Europe #58145 (330 ga | | ▶ #58093 🕕 💷 |
| #57066 Color Box 1 9.4 (20.7) France #58149 (530 ga | | ▶ #58094 () () |

| #57009 Color Box 1 8.5 (18.8) \$ #57108 Color Box 1 10.9 (24.0) \$\$ <t< th=""><th>3.05m x 76</th><th>30°) 30°) 30°) 30°) 30°) 30°</th><th>Water ca</th><th>oacity (80%): (</th><th>3,638 L (961</th><th>gal.)</th><th>New Colors</th><th></th><th></th><th></th></t<> | 3.05m x 76 | 30°) 30°) 30°) 30°) 30°) 30° | Water ca | oacity (80%): (| 3,638 L (961 | gal.) | New Colors | | | |
|---|------------|------------------------------|-----------|-----------------|--------------|--------|---------------------|-----------------|---|------------------|
| #57108 Color Box 1 10.9 (24.0) #58144 (330 gal.) 110-120V #58168 #58168 #58168 #581709 #57109 Color Box 1 11.0 (24.2) U.S.A. #58144 (330 gal.) 110-120V W/GFCI #58168 #58168 #58168 #58109 #58109 #58109 #58109 #58109 #58093 1 #5 | ltem No. | DVD | Package | Pack | kg (Lb.) | Remark | Filter Pump | Voltage | | Filter Cartridge |
| #57108US Color Box 1 11.0 (24.2) U.S.A. #58144US (330 gal.) 110-120V W/GFCI > #57109 Color Box 1 10.4 (22.8) Europe #58145 (330 gal.) 220-240V > #58093 () = | #57009 | | Color Box | 1 | 8.5 (18.8) | | | | | |
| #57108US Color Box 1 11.0 (24.2) U.S.A. #58144US (330 gal.) 110-120V W/GFCI > #57109 Color Box 1 10.4 (22.8) Europe #58145 (330 gal.) 220-240V > #58093 ① = | #57108 | | Color Box | 1 | 10.9 (24.0) | | #58144 (330 gal.) | | | #E0160 🔘 🚍 |
| | #57108US | | Color Box | 1 | 11.0 (24.2) | U.S.A. | #58144US (330 gal.) | 110-120V W/GFCI | ► | #30100 🖤 🍋 |
| #57072 Color Box 1 11.7 (25.8) France #58149 (530 gal.) 220-240V > #58094 (1) 3 | #57109 | | Color Box | 1 | 10.4 (22.8) | Europe | #58145 (330 gal.) | | ► | #58093 🕕 📁 |
| | #57072 | | Color Box | 1 | 11.7 (25.8) | France | #58149 (530 gal.) | | | #58094 🕕 🚺 |


| 3.66m x 76 | 6 (12' x 30") | Water cap | bacity (80%): | 5,377 L (1,42 | 1 gal.) | New Colors | | |
|------------|---------------|-----------|---------------|---------------|---------|---------------------|---------|------------------|
| Item No. | DVD | Package | Pack | kg (Lb.) | Remark | Filter Pump | Voltage | Filter Cartridge |
| #57032 | | Color Box | 1 | 12.7 (28.0) | | | | |
| #57111 | | Color Box | 1 | 15.1 (33.3) | | #58144 (330 gal.) | | #50160 |
| #57111US | | Color Box | 1 | 15.2 (33.5) | U.S.A. | #58144US (330 gal.) | | #58168 🔍 🚍 |
| #57112 | | Color Box | 1 | 14.6 (32.1) | Europe | #58145 (330 gal.) | | ▶ #58093 🕕 💷 |
| #57074 | | Color Box | 1 | 15.9 (35.1) | France | #58149 (530 gal.) | | ▶ #58094 🕕 🚺 |

Fast Set[™] Pools 13









Polvester Mesh Heavy Gauge PVC

Extra strength side walls are made with 3 separate layers of material. The inner layer of polyester mesh is laminated to the 2 outer heavy gauge PVC layers. This creates a total thickness of 0.40-0.80 mm (16-32 ga.) depending on the size of the pool

| #57164 1 15.8 (34.8) #57165 1 18.2 (40.0) #58144 (330 gal.) 110-120V #57165US 1 18.3 (40.3) U.S.A. #58144US (330 gal.) 110-120V W/GFCI | 3.66m x § | 9 1cm (1 | 2′ × 36″) W | 'ater cape | acity (80%) | : 6,665 | L (1,760 g | gal.) | | | |
|--|-----------|------------------|--------------|------------|-------------|---------|-------------|--------|---------------------|-----------------|------------------|
| #57165 1 18.2 (40.0) #58144 (330 gal.) 110-120V #58168 (V) (= #57165US 1 18.3 (40.3) U.S.A. #58144US (330 gal.) 110-120V W/GFCI #58168 (V) (= | Item No. | DVD | Ground Cloth | Cover | Ladder | Pack | kg (Lb.) | Remark | Filter Pump | Voltage | Filter Cartridge |
| #57165US 1 18.3 (40.3) U.S.A. #58144US (330 gal.) 110-120V W/GFCI + #58168 🕐 🖨 | #57164 | | | | | 1 | 15.8 (34.8) | | | | |
| #5/165US 1 18.3 (40.3) U.S.A. #58144US (330 gal.) 110-120V W/GFCI > | #57165 | | | | | 1 | 18.2 (40.0) | | #58144 (330 gal.) | | |
| #57166 1 17.6 (38.9) Europe #58145 (330 gal.) 220-240V 🕨 #58093 🕕 💷 | #57165US | | | | | 1 | 18.3 (40.3) | U.S.A. | #58144US (330 gal.) | 110-120V W/GFCI | |
| | #57166 | | | | | 1 | 17.6 (38.9) | Europe | #58145 (330 gal.) | | ▶ #58093 🕕 💷 |
| #57142 #58044FR 1 30.0 (66.2) France #58149 (530 gal.) 220-240V 🕨 #58094 🕕 🚛 | #57142 | | | | #58044FR | 1 | 30.0 (66.2) | France | #58149 (530 gal.) | | #58094 🕕 🚺 |

| 4.57m x \$ | 91cm (1 | 5' x 36") W | 'ater capa | acity (80%) | : 10,17 | 9 L (2,689 | gal.) | | | |
|------------|---------|--------------|------------|-------------|---------|-------------|--------|---------------------|----------|------------------|
| ltem No. | DVD | Ground Cloth | Cover | Ladder | Pack | kg (Lb.) | Remark | Filter Pump | Voltage | Filter Cartridge |
| #57018 | | | | | 1 | 22.5 (49.6) | | | | |
| #57120 | | | | | 1 | 25.6 (56.4) | | #58147 (530 gal.) | | #58012 🕕 🕽 |
| #57120US | | | | | 1 | 25.7 (56.7) | U.S.A. | #58147US (530 gal.) | | |
| #57121 | | | | | 1 | 24.9 (55.0) | Europe | #58148 (530 gal.) | | #58094 🕕 📁 |
| #57144 | | | | #58044FR | 1 | 36.1 (79.5) | France | #58149 (530 gal.) | 220-240V | #30094 |
| #57123 | | #58003 | #58035 | #58042 | 1 | 37.4 (82.5) | | #58147 (530 gal.) | | #50010 |
| #57123US | | #58003 | #58035 | #58042 | 1 | 37.5 (82.7) | U.S.A. | #58147US (530 gal.) | | #58012 🕕 🍋 |
| #57124 | | #58003 | #58035 | #58045 | 1 | 36.1 (79.5) | Europe | #58148 (530 gal.) | | #50004 |
| #57082 | | #58003 | #58035 | #58044FR | 1 | 39.4 (86.9) | France | #58149 (530 gal.) | | #58094 🕕 📁 |

| 4.57m x | 1.07m (| 15' x 42") V | Vater capa | acity (80% |): 12,36 | 62 L (3,266 | 6 gal.) | | | |
|----------|--------------|--------------|------------|------------|----------|-------------|---------|---------------------|-----------------|------------------|
| Item No. | DVD | Ground Cloth | Cover | Ladder | Pack | kg (Lb.) | Remark | Filter Pump | Voltage | Filter Cartridge |
| #57023 | | | | | 1 | 24.4 (53.8) | | | | |
| #57126 | | #58003 | #58035 | #58041 | 1 | 39.6 (87.3) | | #58147 (530 gal.) | | |
| #57126US | | #58003 | #58035 | #58041 | 1 | 39.7 (87.6) | U.S.A. | #58147US (530 gal.) | 110-120V W/GFCI | |
| #57127 | | #58003 | #58035 | #58044 | 1 | 38.5 (84.8) | Europe | #58148 (530 gal.) | | #50004 |
| #57084 | \checkmark | #58003 | #58035 | #58044FR | 1 | 40.9 (90.1) | France | #58149 (530 gal.) | | #58094 🕕 💭 |

Fast Set[™] Pools 15







Polvester Mesh Heavy Gauge PVC

Extra strength side walls are made with 3 separate layers of material. The inner layer of polyester mesh is laminated to the 2 outer heavy gauge PVC layers. This creates a total thickness of 0.40-0.80 mm (16-32 ga.) depending on the size of the pool

Filter Pump



| 4.57m x | 1.22m (| 15' x 48") | Water cap | acity (80%) |): 13,80 | 07 L (3,648 | 3 gal.) | | | |
|----------|--------------|--------------|-----------|-------------|----------|--------------|---------|---------------------|----------|------------------|
| ltem No. | DVD | Ground Cloth | Cover | Ladder | Pack | kg (Lb.) | Remark | Filter Pump | Voltage | Filter Cartridge |
| #57147 | \checkmark | #58003 | #58035 | #58096 | 1 | 46.1 (101.7) | | #58116 (800 gal.) | 110-120V | #50010 |
| #57147US | | #58003 | #58035 | #58096 | 1 | 46.2 (101.9) | U.S.A. | #58116US (800 gal.) | | |
| #57148 | \checkmark | #58003 | #58035 | #58097 | 1 | 44.9 (99.0) | Europe | #58117 (800 gal.) | | |
| #57150 | \checkmark | #58003 | #58035 | #58097FR | 1 | 48.0 (105.9) | France | #58118 (800 gal.) | | #58094 🕕 🚺 |

| 5.49m x | 1.22m (| 18' x 48 ") V | Vater capa | acity (80%) |): 21,18 | 32 L (5,596 | 6 gal.) | | | |
|----------|---------|----------------------|------------|-------------|----------|--------------|---------|----------------------|----------|------------------|
| Item No. | DVD | Ground Cloth | Cover | Ladder | Pack | kg (Lb.) | Remark | Filter Pump | Voltage | Filter Cartridge |
| #57229 | | #58031 | #58073 | #58096 | 1 | 60.3 (132.9) | | #58121 (1500 gal.) | 110-120V | • |
| #57229US | | #58031 | #58073 | #58096 | 1 | 60.4 (133.1) | U.S.A. | #58121US (1500 gal.) | | #50010 |
| #57212 | | #58031 | #58073 | #58097 | 1 | 59.6 (131.4) | Europe | #58122 (1500 gal.) | | ▶ #58012 (●) () |
| #57213 | | #58031 | #58073 | #58097FR | 1 | 62.6 (137.9) | France | #58123 (1300 gal.) | | |

Fast Set[™] Pools 17


















Heavy Gauge PVC Polvester Mesh Heavy Gauge PVC

Extra strength side walls are made with 3 separate layers of material. The inner layer of polyester mesh is laminated to the 2 outer heavy gauge PVC layers. This creates a total thickness of 0.40-0.80 mm (16-32 ga.) depending on the size of the pool



Cover



| 4.57m x 1 | .22m (15' | × 48") |
|-----------|-----------|--------|
| Item No. | DVD | Ground |
| #57242 | | #580 |


Fast SetTM Pools 19











Ladder



Ground Cloth



Nater capacity (80%): 13,807 L (3,648 gal.) #58035 #58097FR 58.4 (128.6) Europe/France 3003 1



| 4.00m x 2.1 | 11m x 81cm (157" x 80 | 3" x 32") VVa | ater capacity (909 | %): 5,700 L (1 | 1,506 gal.) | | |
|-------------|--------------------------|---------------|--------------------|----------------|-------------------|----------|------------------------|
| ltem No. | Name | Pack | kg (Lb.) | Remark | Filter Pump | Voltage | Filter Cartridge |
| #56158 | Family Splash Frame Pool | 1 | 33.5 (73.8) | | #58144 (330 gal.) | 110-120V | 🕨 #58168 🕐 💷 |
| #56082 | Family Splash Frame Pool | 1 | 32.9 (72.6) | Europe | | | ▶ #58093 🕕 💷 |
| #56083 | Family Splash Frame Pool | 1 | 34.5 (76.0) | France | | | ▶ #58094 () () |

6

Splash Frame Pools 21



| | Size | Pool | Water capacity (90%) | Pack | kg (Lb.) |
|---|---|------|----------------------|------|-------------|
| | 2.21m x 1.50m x 43cm (87" x 59" x 17") | | 1,200 L (317 gal.) | 1 | 11.4 (25.2) |
| | 2.39m x 1.50m x 58cm (94" x 59" x 23") | | 1,800 L (476 gal.) | 1 | 13.8 (30.4) |
| l | 2.59m x 1.70m x 61cm (102" x 67" x 24") | | 2,300 L (608 gal.) | 1 | 15.8 (34.8) |
| | 3.00m x 2.01m x 66cm (118" x 79" x 26") | | 3,300 L (872 gal.) | 1 | 19.9 (43.9) |
| | 4.00m x 2.11m x 81cm (157" x 83" x 32") | | 5,700 L (1,506 gal.) | 1 | 31.5 (69.5) |
| | | | | | |

| 8" x 79" x 26") Water capacity (90%): 3,300 L (872 gal.) | | | | | | | | | | | | |
|--|------|-------------|--------|-------------------|----------|------------------|--|--|--|--|--|--|
| | Pack | kg (Lb.) | Remark | Filter Pump | Voltage | Filter Cartridge | | | | | | |
| Pool | 1 | 22.4 (49.3) | | #58144 (330 gal.) | 110-120V | ▶ #58168 (V) (□ | | | | | | |
| Pool | 1 | 21.8 (48.1) | Europe | | | ▶ #58093 🕕 💷 | | | | | | |
| Pool | 1 | 23.0 (50.6) | France | | | ▶ #58094 🕕 🗊 | | | | | | |



Steel ProTM Frame Pools 23

Ground Clo



| Vater capacity | / (90%): 1,724 L (45 | 56 gal.) | | | |
|----------------|----------------------|----------|--------|------|-------------|
| DVD | Ground Cloth | Cover | Ladder | Pack | kg (Lb.) |
| | | | | 1 | 13.0 (28.6) |
| | | | | | |

| W | ater capa | acity (90%) |): 4,678 | L (1,236 g | gal.) | | | |
|---|-----------|-------------|----------|-------------|--------|---------------------|---------|------------------|
| h | Cover | Ladder | Pack | kg (Lb.) | Remark | Filter Pump | Voltage | Filter Cartridge |
| | | | 1 | 20.3 (44.8) | | | | |
| | | | 1 | 22.7 (50.1) | | #58144 (330 gal.) | | #58168 🕡 💷 |
| | | | 1 | 22.8 (50.3) | U.S.A. | #58144US (330 gal.) | | #08108 🖤 📁 |
| | | | 1 | 22.2 (48.9) | Europe | #58145 (330 gal.) | | #58093 🕕 💷 |
| | | | 1 | 23.6 (52.1) | France | #58149 (530 gal.) | | #58094 🕕 📁 |

| W | ater capa | acity (90%) |): 6,473 | L (1,710 g | gal.) | | | |
|---|-----------|-------------|----------|-------------|--------|---------------------|-----------------|------------------|
| h | Cover | Ladder | Pack | kg (Lb.) | Remark | Filter Pump | Voltage | Filter Cartridge |
| | | | 1 | 27.0 (59.5) | | | | |
| | | | 1 | 29.1 (64.2) | | #58144 (330 gal.) | | #58168 🚺 💷 |
| | | | 1 | 29.2 (64.4) | U.S.A. | #58144US (330 gal.) | 110-120V W/GFCI | +30100 V V |
| | | | 1 | 28.6 (63.0) | Europe | #58145 (330 gal.) | | ▶ #58093 🕕 💷 |
| | | | 1 | 30.1 (66.3) | France | #58149 (530 gal.) | | ▶ #58094 🕕 💭 |
| | | | | | | | | |

| ") | Water ca | apacity (90 |)%): 9,1 | 50 L (2,41 | 7 gal.) | | | | |
|----|----------|-------------|----------|-------------|---------|---------------------|----------|---|------------------|
| h | Cover | Ladder | Pack | kg (Lb.) | Remark | Filter Pump | Voltage | | Filter Cartridge |
| | | | 1 | 35.1 (77.3) | | #58147 (530 gal.) | 110-120V | | #58012 🕕 🚺 |
| | | | 1 | 35.2 (77.5) | U.S.A. | #58147US (530 gal.) | | | #36012 |
| | | | 1 | 34.3 (75.7) | Europe | #58148 (530 gal.) | | Þ | #58094 🕕 🚺 |
| | | #58044FR | 1 | 45.2 (99.7) | France | #58149 (530 gal.) | | | #30094 🔰 🔰 |



Heavy Gauge PVC Polvester Mesh Heavy Gauge PVC

Extra strength side walls are made with 3 separate layers of material. The inner layer of polyester mesh is laminated to the 2 outer heavy gauge PVC layers. This creates a total thickness of 0.40-0.80 mm (16-32 ga.) depending on the size of the pool

| 3.66m x 1.22m (12' x 48") Water capacity (90%): 10,250 L (2,708 gal.) | | | | | | | | | | | | | |
|---|-----|--------------|--------|----------|------|--------------|---------------|-------------------|----------|---------------------|--|--|--|
| Item No. | DVD | Ground Cloth | Cover | Ladder | Pack | kg (Lb.) | Remark | Filter Pump | Voltage | Filter Cartridge | | | |
| #56087 | | #58002 | #58037 | #58096 | 1 | 55.2 (121.6) | | #58147 (530 gal.) | 110-120V | #50010 | | | |
| #56087US | | #58002 | #58037 | #58096 | 1 | 55.3 (121.8) | U.S.A. | | | ₩58012 (III) (IIII) | | | |
| #56088 | | #58002 | #58037 | #58097 | 1 | 54.0 (119.1) | Europe | #58148 (530 gal.) | 220-240V | #59004 | | | |
| #56205 | | #58002 | #58037 | #58097FR | 1 | 56.8 (125.3) | France | | | #58094 🕕 🍋 | | | |
| #56259 | | #58002 | #58037 | #58097FR | 1 | 63.2 (139.4) | Europe/France | | | Sand Filter | | | |

| 4.57m x \$ | 91cm (1 | 5' x 36") W | later capa | acity (90%) | : 12,62 | .7 L (3,336 | 6 gal.) | | | |
|------------|---------|--------------|------------|-------------|---------|--------------|---------------|-------------|---------|------------------|
| Item No. | DVD | Ground Cloth | Cover | Ladder | Pack | kg (Lb.) | Remark | Filter Pump | Voltage | Filter Cartridge |
| #56017 | | | | | 1 | 42.8 (94.4) | | | | |
| #56064 | | #58003 | #58038 | #58042 | 1 | 57.3 (126.4) | | | | #E0010 m 💻 |
| #56064US | | #58003 | #58038 | #58042 | 1 | 57.4 (126.6) | U.S.A. | | | #58012 🕕 🚺 |
| #56066 | | #58003 | #58038 | #58045 | 1 | 56.3 (124.2) | Europe | | | #58094 🕕 🗊 |
| #56052 | | #58003 | #58038 | #58044FR | 1 | 59.4 (131.0) | France | | | #58094 🕕 💓 |
| #56282 | | #58003 | #58038 | #58044FR | 1 | 66.0 (145.4) | Europe/France | | | Sand Filter |

| 4.57m x ⁻ | 1.22m (| 15' x 48") | Water cap | acity (90% |): 16,0 | 15 L (4,23 ⁻ | 1 gal.) | | | |
|----------------------|--------------|--------------|-----------|------------|---------|-------------------------|---------|---------------------|----------|--------------------|
| Item No. | DVD | Ground Cloth | Cover | Ladder | Pack | kg (Lb.) | Remark | Filter Pump | Voltage | Filter Cartridge |
| #56099 | \checkmark | #58003 | #58134 | #58096 | 1 | 70.7 (155.9) | | #58116 (800 gal.) | 110-120V | ► #50010 () |
| #56099US | | #58003 | #58134 | #58096 | 1 | 70.8 (156.1) | U.S.A. | #58116US (800 gal.) | | #58012 (●) (■) |
| #56100 | | #58003 | #58134 | #58097 | 1 | 69.7 (153.8) | Europe | #58117 (800 gal.) | 220-240V | |
| #56101 | | #58003 | #58134 | #58097FR | 1 | 73.1 (161.1) | France | #58118 (800 gal.) | | #58094 🕕 🚺 |

Steel ProTM Frame Pools 25
















| 5,49m x 1 | 1.22m (| 18' x 48") | Water cap | acity (90% | 6): 23,0 | 62 L (6,09 | 2 gal.) | | | | |
|-----------|---------|--------------|-----------|------------|----------|--------------|---------|----------------------|----------|------------------|--|
| Item No. | DVD | Ground Cloth | Cover | Ladder | Pack | kg (Lb.) | Remark | Filter Pump | Voltage | Filter Cartridge | |
| #56150 | | #58031 | #58039 | #58096 | 1 | 90.7 (199.9) | | #58121 (1500 gal.) | 110-120V | | |
| #56150US | | #58031 | #58039 | #58096 | 1 | 90.8 (200.1) | U.S.A. | #58121US (1500 gal.) | | #58012 | |
| #56113 | | #58031 | #58039 | #58097 | 1 | 89.7 (197.7) | Europe | #58122 (1500 gal.) | 220-240V | #58012 🕕 🚺 | |
| #56115 | | #58031 | #58039 | #58097FR | 1 | 92.6 (204.2) | France | #58123 (1300 gal.) | | | |




Polvester Mesh Heavy Gauge PVC



| 3.30m x 1. | 02m (130" x | 40") Water c | capacity (90% | %): 6,790 L (1,7 | '94 gal.) | New Size | | |
|------------|-------------|--------------|---------------|------------------|-----------|---------------------|----------|------------------|
| Item No. | DVD | Ladder | Pack | kg (Lb.) | Remark | Filter Pump | Voltage | Filter Cartridge |
| #56247 | | | 1 | 42.0 (92.7) | | #58144 (330 gal.) | 110-120V | #58168 🕖 🚍 |
| #56247US | | | 1 | 42.1 (92.9) | U.S.A. | #58144US (330 gal.) | | +30100 V 💷 |
| #56245 | | | 1 | 41.6 (91.7) | Europe | #58145 (330 gal.) | | ▶ #58093 🕕 💷 |
| #56246 | | #58044FR | 1 | 52.7 (116.3) | France | #58149 (530 gal.) | | ▶ #58094 ① () |

Steel ProTM Frame Pools 27





Polvester Mesh Heavy Gauge PVC

Extra strength side walls are made with 3 separate layers of material. The inner layer of polyester mesh is laminated to the 2 outer heavy gauge PVC layers. This creates a total thickness of 0.40-0.80 mm (16-32 ga.) depending on the size of the pool

| 4.27m x | 1.22m (| 14' x 48") V | Vater cap | acity (90% |): 15,20 | 32 L (4,02 | 4 gal.) | | | |
|----------|---------|--------------|-----------|------------|----------|--------------|---------------|-------------------|----------|------------------|
| Item No. | DVD | Ground Cloth | Cover | Ladder | Pack | kg (Lb.) | Remark | Filter Pump | Voltage | Filter Cartridge |
| #56265 | | #58003 | #58248 | #58096 | 1 | 66.2 (145.9) | | #58116 (800 gal.) | 110-120V | #50010 |
| #56265US | | #58003 | #58248 | #58096 | 1 | 66.3 (146.1) | U.S.A. | | | #58012 🕕 🚺 |
| #56263 | | #58003 | #58248 | #58097 | 1 | 65.4 (144.3) | Europe | #58117 (800 gal.) | 220-240V | #59004 |
| #56264 | | #58003 | #58248 | #58097FR | 1 | 68.7 (151.5) | France | | | #58094 🕕 🗊 |
| #56276 | | #58003 | #58248 | #58097FR | 1 | 80.2 (176.7) | Europe/France | | | Sand Filter |

| 4.88m x ⁻ | 1.22m (| 16' x 48") | Water capa | acity (90% |): 19,48 | 30 L (5,14 | 5 gal.) | | | |
|----------------------|---------|--------------|------------|------------|----------|--------------|---------------|--------------------|----------|------------------|
| ltem No. | DVD | Ground Cloth | Cover | Ladder | Pack | kg (Lb.) | Remark | Filter Pump | Voltage | Filter Cartridge |
| #56268 | | #58251 | #58249 | #58096 | 1 | 81.0 (178.6) | | #58116 (800 gal.) | 110-120V | #50010 |
| #56268US | | #58251 | #58249 | #58096 | 1 | 81.9 (180.5) | U.S.A. | | | +00012 U |
| #56266 | | #58251 | #58249 | #58097 | 1 | 80.0 (176.4) | Europe | | | #58094 🕕 🗊 |
| #56267 | | #58251 | #58249 | #58097FR | 1 | 83.2 (183.5) | France | | | +00094 • |
| #56277 | | #58251 | #58249 | #58097FR | 1 | 94.0 (207.2) | Europe/France | #58258 (1000 gal.) | 220-240V | Sand Filter |

| 5.49m x | 1.32m (| 18' x 52") | Water cap | acity (90% |): 26,00 | DO L (6,86 | 9 gal.) | | | |
|----------|---------|--------------|-----------|------------|----------|---------------|---------------|--------------------|----------|------------------|
| Item No. | DVD | Ground Cloth | Cover | Ladder | Pack | kg (Lb.) | Remark | Filter Pump | Voltage | Filter Cartridge |
| #56234 | | #58031 | #58039 | #58159 | 1 | 103.7 (228.5) | | #58121 (1500 gal.) | 110-120V | • |
| #56234US | | #58031 | #58039 | #58159 | 1 | 103.0 (227.0) | U.S.A. | | | #58012 🕕 💷 |
| #56232 | | #58031 | #58039 | #58160 | 1 | 102.2 (225.4) | Europe | | | #58012 🕕 🚺 |
| #56233 | | #58031 | #58039 | #58160FR | 1 | 105.1 (231.8) | France | | | > |
| #56280 | | #58031 | #58039 | #58160FR | 1 | 115.2 (254.0) | Europe/France | #58256 (1500 gal.) | 220-240V | Sand Filter |

Steel Pro[™] Frame Pools 29


















Heavy Gauge PVC

Extra strength side walls are made with 3 separate layers of material. The inner layer of polyester mesh is laminated to the 2 outer heavy gauge PVC layers. This creates a total thickness of 0.40-0.80 mm (16-32 ga.) depending on the size of the pool

2.87m x 2.01m x 1.00m (11 #56250 $\sqrt{}$ #56250US $\sqrt{}$ #56248 $\sqrt{}$ #56249

| 4.04m x 2 | 2.01m> | (1.00m (159' | " x 79" x 3 | 39.5") | Vater ca | pacity (90% | 6): 6,786 | L (1,793 gal.) | | |
|-----------|--------|---------------|-------------|----------|----------|--------------|-----------|---------------------|----------|------------------|
| ltem No. | DVD | Ground Cloth | Cover | Ladder | Pack | kg (Lb.) | Remark | Filter Pump | Voltage | Filter Cartridge |
| #56253 | | | | | 1 | 58.5 (128.9) | | #58147 (530 gal.) | 110-120V | |
| #56253US | | | | | 1 | 58.6 (129.1) | U.S.A. | #58147US (530 gal.) | | #58012 🕕 🚺 |
| #56251 | | | | | 1 | 58.0 (127.8) | Europe | #58148 (530 gal.) | 220-240V | |
| #56252 | | | | #58044FR | 1 | 68.8 (151.8) | France | #58149 (530 gal.) | | #58094 🕕 🕽 |
| #56255 | | | | #58044FR | 1 | 74.2 (163.7) | France | #58271 (530 gal.) | 220-240V | Sand Filter |

| 4.12m x 2 | 2.01m × | (1.22m (162" | x 79" x 4 | 4 8") Wa | ter capa | acity (90%): | 8,055 L | (2,128 gal.) | | |
|-----------|---------|--------------|-----------|-----------------|----------|--------------|---------------|-------------------|----------|------------------|
| ltem No. | DVD | Ground Cloth | Cover | Ladder | Pack | kg (Lb.) | Remark | Filter Pump | Voltage | Filter Cartridge |
| #56243 | | | | #58096 | 1 | 77.8 (171.6) | | #58147 (530 gal.) | 110-120V | #E0010 |
| #56243US | | | | #58096 | 1 | 77.9 (171.8) | U.S.A. | | | #58012 🔳 🚺 |
| #56241 | | | | #58097 | 1 | 76.7 (169.2) | Europe | #58148 (530 gal.) | 220-240V | |
| #56242 | | | | #58097FR | 1 | 79.6 (175.5) | France | | | #58094 🕕 🗊 |
| #56244 | | | | #58097FR | 1 | 86.3 (190.2) | Europe/France | #58271 (530 gal.) | 220-240V | Sand Filter |
| #56244 | | | | #58097FR | 1 | 86.3 (190.2) | Europe/France | | | Sand Filter |


| Item No. DVD Ground Cloth Cover Ladder Pack kg (Lb.) Remark Filter Pump Voltage Filter #56243 √ #58096 1 77.8 (171.6) #58147 (530 gal.) 110-120V ▶ #58012 #56243US √ #58096 1 77.9 (171.8) U.S.A. #58147US (530 gal.) 110-120V W/GFCI ▶ | |
|---|-------------|
| #58012 | r Cartridge |
| #56243US 1 #58096 1 77.9 (171.8) USA #58147US (530.ga) 110-120V W(GECL #30012 | |
| | |
| #56241 √ #58097 1 76.7 (169.2) Europe #58148 (530 gal.) 220-240V > | |
| #56242 √ #58097FR 1 79.6 (175.5) France #58149 (530 gal.) 220-240V ► #58094 | |
| #56244 √ #58097FR 1 86.3 (190.2) Europe/France #58271 (530 gal.) 220-240V Sa | Sand Filter |

Rectangular Frame Pools 31



| 13" | x 79" x 3 | | | | | | | |
|-----|-----------|----------|------|--------------|--------|---------------------|----------|------------------|
| | Cover | Ladder | Pack | kg (Lb.) | Remark | Filter Pump | Voltage | Filter Cartridge |
| | | | 1 | 45.8 (100.9) | | #58144 (330 gal.) | 110-120V | #58168 🕐 🗐 |
| | | | 1 | 45.9 (101.2) | U.S.A. | #58144US (330 gal.) | | #50100 |
| | | | 1 | 45.3 (99.8) | Europe | #58145 (330 gal.) | 220-240V | #58093 🕕 💷 |
| | | #58044FR | 1 | 57.3 (126.3) | France | #58149 (530 gal.) | | #58094 🕕 🚺 |
| | | | | | | | | |





Polvester Mesh Heavy Gauge PVC

Extra strength side walls are made with 3 separate layers of material. The inner layer of polyester mesh is laminated to the 2 outer heavy gauge PVC layers. This creates a total thickness of 0.40-0.80 mm (16-32 ga.) depending on the size of the pool

| | | ,200 gal.) | 5,897 L (4 | Water | < 9' × 48") | 5.49m x 2.74m x 1.22m (18' x 9' x 48' | | | | | | | | |
|------------------|----------|--------------------|---------------|---------------|-------------|---------------------------------------|--------|--------------|--------------|----------|--|--|--|--|
| Filter Cartridge | Voltage | Filter Pump | Remark | kg (Lb.) | Pack | Ladder | Cover | Ground Cloth | DVD | ltem No. | | | | |
| | 110-120V | #58121 (1500 gal.) | | 118.9 (262.2) | 1 | #58096 | #58140 | #58139 | \checkmark | #56225 | | | | |
| | | | U.S.A. | 119.0 (262.4) | 1 | #58096 | #58140 | #58139 | \checkmark | #56225US | | | | |
| #58012 🕕 🚺 | 220-240V | #58122 (1500 gal.) | Europe | 117.9 (259.9) | 1 | #58097 | #58140 | #58139 | | #56223 | | | | |
| | 220-240V | #58123 (1300 gal.) | France | 120.8 (266.4) | 1 | #58097FR | #58140 | #58139 | \checkmark | #56224 | | | | |
| Sand Filter | | #58258 (1000 gal.) | Europe/France | 128.4 (283.0) | 1 | #58097FR | #58140 | #58139 | | #56256 | | | | |

| | .66m X | 1.32m (22' x | 12' x 52' | ") VVate | er capacity | / (90%): 2 | 9,240 L (| 7,725 gal.) | | |
|----------|--------|--------------|-----------|----------|----------------|---------------|---------------|--------------------|----------|------------------|
| ltem No. | DVD | Ground Cloth | Cover | Ladder | Case Pack | kg (Lb.) | Remark | Filter Pump | Voltage | Filter Cartridge |
| #56274 | | #58238 | #58260 | #58159 | 1 Ea., 2 boxes | 163.5 (360.5) | | #58121 (1500 gal.) | 110-120V | |
| #56274US | | #58238 | #58260 | #58159 | 1 Ea., 2 boxes | 163.6 (360.7) | U.S.A. | | | μE0010 📖 🚞 |
| #56272 | | #58238 | #58260 | #58160 | 1 Ea., 2 boxes | 162.1 (357.4) | Europe | | | #58012 🕕 🚺 |
| #56273 | | #58238 | #58260 | #58160FR | 1 Ea., 2 boxes | 165.0 (363.8) | France | | | |
| #56278 | | #58238 | #58260 | #58160FR | 1 Ea., 2 boxes | 176.9 (390.0) | Europe/France | #58256 (1500 gal.) | 220-240V | Sand Filter |

| 7.32m x 3 | 3.66m x | 1.32m (24' > | < 12' x 52 | ") Wate | er capacity | / (90%): 3 | 1,820 L (| 8,407 gal.) | | | |
|-----------|---------|--------------|------------|----------|----------------|---------------|---------------|----------------------|----------|--------|-----------|
| Item No. | DVD | Ground Cloth | Cover | Ladder | Case Pack | kg (Lb.) | Remark | Filter Pump | Voltage | Filter | Cartridge |
| #56231 | | #58238 | #58227 | #58159 | 1 Ea., 2 boxes | 182.3 (401.8) | | #58222 (2500 gal.) | 110-120V | • | |
| #56231US | | #58238 | #58227 | #58159 | 1 Ea., 2 boxes | 182.4 (402.1) | U.S.A. | #58222US (2500 gal.) | | | |
| #56229 | | #58238 | #58227 | #58160 | 1 Ea., 2 boxes | 180.9 (398.8) | Europe | #58221 (2500 gal.) | 220-240V | #58095 | |
| #56230 | | #58238 | #58227 | #58160FR | 1 Ea., 2 boxes | 183.4 (404.3) | France | | | • | |
| #56279 | | #58238 | #58227 | #58160FR | 1 Ea., 2 boxes | 188.5 (415.5) | Europe/France | #58256 (1500 gal.) | | Sa | nd Filter |

Rectangular Frame Pools 33

















Heavy Gauge PVC Polyester Mesh Heavy Gauge PVC

Extra strength side walls are made with 3 separate layers of material. The inner layer of polyester mesh is laminated to the 2 outer heavy gauge PVC layers. This creates a total thickness of 0.40-0.80 mm (16-32 ga.) depending on the size of the pool

Item No. DVD Ground Cloth #56271 √ #58263 #56269 √ #58263 #56270 √ #58263

| 5.49m x | 3.66m × | < 1.22m (18' > | < 12' x 48 | 8") Water | capaci | ity (80%): 1 | 5,033 L (| 3,971 gal.) | | |
|----------|---------|----------------|------------|-----------|--------|--------------|-----------|-------------------|----------|---------------------|
| ltem No. | DVD | Ground Cloth | Cover | Ladder | Pack | kg (Lb.) | Remark | Filter Pump | Voltage | Filter Cartridge |
| #56160 | | #58135 | #58154 | #58096 | 1 | 69.8 (153.9) | | #58116 (800 gal.) | 110-120V | ▶ #58012 ①) |
| #56153 | | #58135 | #58154 | #58097 | 1 | 68.9 (151.8) | Europe | #58117 (800 gal.) | | |
| #56152 | | #58135 | #58154 | #58097FR | 1 | 72.2 (159.2) | France | #58118 (800 gal.) | 220-240V | #58094 🕕 🚺 |

| 6.10m x 3 | 3.66m> | < 1.22m (20' > | (12' x 48 | 8") Water | r capaci | ity (80%): 1 | 7,052 L (| 4,505 gal.) | | |
|-----------|--------|----------------|------------|-----------|----------|--------------|-----------|-------------------|----------|------------------|
| Item No. | DVD | Ground Cloth | Cover | Ladder | Pack | kg (Lb.) | Remark | Filter Pump | Voltage | Filter Cartridge |
| #56161 | | #58135 | #58136 | #58096 | 1 | 74.8 (164.9) | | #58116 (800 gal.) | 110-120V | ▶ #58012 ① (□) |
| #56119 | | #58135 | #58136 | #58097 | 1 | 73.8 (162.7) | Europe | #58117 (800 gal.) | | #58094 🕕 🗊 |
| #56121 | | #58135 | #58136 | #58097FR | 1 | 77.0 (169.8) | France | #58118 (800 gal.) | 220-240V | #00094 |

Oval Fast SetTM Pools 35



| 6' > | < 10' x 42 | 2") Water | r capaci | ty (80%): 10 |),759 L (| 2,843 gal.) | | |
|------|------------|-----------|----------|--------------|-----------|-------------------|----------|------------------|
| h | Cover | Ladder | Pack | kg (Lb.) | Remark | Filter Pump | Voltage | Filter Cartridge |
| | #58262 | #58041 | 1 | 59.6 (131.4) | | #58116 (800 gal.) | 110-120V | ▶ #58012 (III) |
| | #58262 | #58044 | 1 | 58.7 (129.3) | Europe | #58117 (800 gal.) | | #58094 🕕 💓 |
| | #58262 | #58044FR | 1 | 61.4 (135.3) | France | #58118 (800 gal.) | 220-240V | #58094 🕕 🚺 |
| | | | | | | | | |



3.05m x 1.22m (10' x 48") Water capacity (90%): 7,630 L (2,018 gal.) #56300 $\sqrt{}$ #56300US $\sqrt{}$ #56290 $\sqrt{}$ #56291 $\sqrt{}$ #56299 $\sqrt{}$ #56299US $\sqrt{}$ #56284 #56287

| 3.66m x 1. | 22m (12' x 48 | ") Water ca | pacity (90%) | : 10,990 L (2,9 | 06 gal.) | | | |
|------------|---------------|-------------|--------------|-----------------|----------|---------------------|-----------------|------------------|
| ltem No. | DVD | Ladder | Pack | kg (Lb.) | Remark | Filter Pump | Voltage | Filter Cartridge |
| #56302 | | #58096 | 1 | 111.4 (245.6) | | #58147 (530 gal.) | 110-120V | ► #50010 |
| #56302US | | #58096 | 1 | 111.4 (245.6) | U.S.A. | #58147US (530 gal.) | | #58012 (Ⅲ) (□□) |
| #56292 | | #58097 | 1 | 108.4 (239.0) | Europe | #58148 (530 gal.) | 220-240V | |
| #56293 | | #58097FR | 1 | 113.2 (249.6) | France | #58149 (530 gal.) | | #58094 🕕 🧊 |
| #56301 | | #58096 | 1 | 117.6 (259.3) | | #58272 (530 gal.) | 110-120V | • |
| #56301US | | #58096 | 1 | 117.6 (259.3) | U.S.A. | #58272US (530 gal.) | 110-120V W/GFCI | Cond Filter |
| #56285 | | #58097 | 1 | 116.3 (256.4) | Europe | #58271 (530 gal.) | 220-240V | Sand Filter |
| #56288 | | #58097FR | 1 | 118.5 (261.3) | France | #58271 (530 gal.) | | • |

Steel Wall Pools 37



| Ladder | Pack | kg (Lb.) | Remark | Filter Pump | Voltage | Filter Cartridge |
|----------|------|---------------|--------|---------------------|-----------------|------------------|
| #58096 | 1 | 97.6 (215.2) | | | | #58012 (1) (1) |
| #58096 | 1 | 97.6 (215.2) | U.S.A. | | | #58012 (1) |
| #58097 | 1 | 96.5 (212.7) | Europe | #58148 (530 gal.) | 220-240V | #50004 |
| #58097FR | 1 | 100.0 (220.5) | France | | | #58094 🕕 🚛 |
| #58096 | 1 | 103.7 (228.6) | | #58272 (530 gal.) | 110-120V | ▶ |
| #58096 | 1 | 103.7 (228.6) | U.S.A. | #58272US (530 gal.) | 110-120V W/GFCI | Sand Filter |
| #58097 | 1 | 103.2 (227.5) | Europe | | | |
| #58097FR | 1 | 105.4 (232.4) | France | | | |



Filter Pump



| 1.88m x 3.0 | 66m x 1.22r | n (16' x 12' x 48") | Water | capacity (90%): | 16,030 L (| 4,240 gal.) | | |
|-------------|-------------|---------------------|-------|-----------------|------------|----------------------|-----------------|------------------|
| Item No. | DVD | Ladder | Pack | kg (Lb.) | Remark | Filter Pump | Voltage | Filter Cartridge |
| #56304 | | #58096 | 1 | 160.0 (352.7) | | #58116 (800 gal.) | 110-120V | |
| #56304US | | #58096 | 1 | 160.0 (352.7) | U.S.A. | | | #58012 🕕 🚺 |
| #56294 | | #58097 | 1 | 157.0 (346.1) | Europe | #58117 (800 gal.) | 220-240V | |
| #56295 | | #58097FR | 1 | 160.0 (352.7) | France | | | ▶ #58094 🕕 🚺 |
| #56303 | | #58096 | 1 | 169.1 (372.8) | | #58269 (1000 gal.) | 110-120V | • |
| #56303US | | #58096 | 1 | 169.1 (372.8) | U.S.A. | #58269US (1000 gal.) | 110-120V W/GFCI | Sand Filter |
| #56286 | | #58097 | 1 | 166.0 (366.0) | Europe | | 220-240V | > Sand Filler |
| #56289 | | #58097FR | 1 | 168.0 (370.3) | France | | | |

Steel Wall Pools 39



Sand Filter




Ladder



Skimmer









Ozone Generator

The Hydro-Force™ Clear Water Pool System generates ozone and is virtually maintenance-free and only requires dry air to operate efficiently.

Nano-Bubble Generator

What makes the Hydro-Force™ Clear Water Pool System so advanced is the high concentration of ozone released into the water by our patented Nano-Bubbles generator. Nano-Bubbles are so small (1/10th the diameter of a human hair) they remain submerged for up to an hour, compared to a normal bubble which rises in seconds. This dramatically increases the amount of ozone which is released into the pool water. By using the Nano-Bubbles generator the purifying power of ozone is dynamically increased.

Advantage

- The affordable, compact system to clean your Above Ground Pool. It is healthier for swimmers, saves money and is better for the environment!
- Use Nature's powerful sanitizer, Ozone, to clean your Above Ground Pool

Saves You Money

· Will reduce heavy chemical usage (depends on outdoor temperature and amount of bodily impurities that are introduced to the pool)

Better For The Environment

- Ozone is a naturally occurring powerful oxidizer
- No by-products left in the water to harm the environment when the pool is drained



Opera

Better For The Environment

Ozone is a naturally occurring powerful oxidizer Ozone changes back to oxygen after its cleaning process is complete No by-products left in the water to harm the environment when the pool is drained

FlowclearTM Ozonator

| m No. | #58203 | #58202 | | | | |
|--------------|--|--------------------|--|--|--|--|
| Rating | 110-120V~60Hz, 0.8A | 220-240V~50Hz, 50W | | | | |
| ne output | 300 | mg/h | | | | |
| ng condition | +5°C ~ | +35℃ | | | | |
| ow rate | from 2,006 L/h (530 gal./h) to 5,678 L/h (1,500 gal./h) | | | | | |
| tification | C-TUV | | | | | |
| ackage | Full co | lor box | | | | |
| Pack | 1 Ea., | 1 Ea., | | | | |
| s weight | 8.9 kg (19.6 Lb.) | 11.0 kg (24.3 Lb.) | | | | |
| emark | | Europe | | | | |
| | | | | | | |

Ozone Kills Bacteria, Viruses and



Replacement Silica



14cm x 22.5cm x 5cm (5.5" x 8.9" x 2.0") Replacement Silica for . Hydro-Force™ Flowclear Ozonator One package for once replacement Orange and translucence glassiness Changing the color from orange to dark green after use Non-toxic and harmless 20 Ea., 12.3 kg (27.0 Lb.)



Compatible with these Flowclear™ Filter Pumps

2,006 L (530 gal.)



3,028 L (800 gal.)





5,678 L (1,500 gal.)

Pool Accessories 41











Just Add Salt And Say Good Bye To Pool Chemicals

Working with common table salt, the Hydro-Force™ Flowclear Chlorinator makes pool maintenance easy by eliminating the need for pool chemicals and providing swimmers with clean, clear pool water that doesn't irritate their skin or burn their eyes. By adding common table salt or sodium chloride to swimming pool water, the Hydro-Force™ Flowclear Chlorinator is able to separate the salt into the two basic elements of sodium and chloride. As part of the daily filtration cycle, pool water passes through the chlorinator's electrolytic cell producing chlorine that instantly dissolves into the water, which destroys bacteria and algae on contact and oxidizes other organic materials.



Flo

Comp Besty

Chlorine

Certi

Pac

Gross

Flo

| NCIE | ar M (| Chlorin | ator |
|---------------------|------------------------|-------------------------------|-----------------------|
| No. | #58285 | #58285US | #58284 |
| ing | 110-120V~60Hz, 1.1A | 110-120V~60Hz, 1.1A W/GFCI | 220-240V~50Hz, 80W |
| ble with y pools | 45,420 L (12,0 | 000 gallons) and belo | w water volume |
| rate | from 1,249 L/h (3 | 30 gal./h) to 15,142 | L/h (4,000 gal./h) |
| per hour | 12 g | 12 g | 12 g |
| cation | ETL | ETL | CE / EMC |
| age | | Full color box | |
| ck | 1 Ea., | 1 Ea., | 1 Ea., |
| weight | 2.9 kg (6.3 Lb.) | 3.0 kg (6.6 Lb.) | 2.4 kg (5.2 Lb.) |
| nark | | U.S.A. | Europe |
| | | | |

Environmentally Friendly

• Eliminates the need for harmful pool chemicals

Easy to Install, Use and Maintain

- Turn ordinary salt into chlorine to clean your pool!
- Titanium-coated electrolytic cell is self-cleaning, which provides optimum performance

Healthier Than Regular Chlorine

- Provides clean and clear swimming pool water
- · Better for skin, hair, eyes





intertek

- Durable, corrosion-proof filter tank
- 6-position valve for easy control
- . Top flange clamp design allows 360 degree rotation for easy installation
- Easy-to-read pressure gauge
- Strainer for separating leaves and other rough debris
- Easy-access assembly makes service simple
- Sand not included
- Required sand size: #20 silica sand, 0.45-0.85mm, approximately 8.5kg


| Item No. | Name | Pump flow rate L (Gal.) / hr | System flow rate L (Gal.) / hr | Rating | Certification | Package | Pack | kg (Lb.) | Remark |
|----------|------------------------|---------------------------------|-----------------------------------|--------------------------|---------------|----------------|------|------------|---------------|
| #58272 | Flowclear™ Sand Filter | 2,006 (530) | 2,006 (530) | 110-120V~60Hz, 1A | ETL | Full color box | 1 | 8.9 (19.7) | |
| #58272US | Flowclear™ Sand Filter | 2,006 (530) | 2,006 (530) | 110-120V~60Hz, 1A W/GFCI | ETL | Full color box | 1 | 8.9 (19.7) | U.S.A. |
| #58271 | Flowclear™ Sand Filter | 2,006 (530) | 2,006 (530) | 220-240V~50Hz, 90W | CE / EMC | Full color box | 1 | 8.7 (19.1) | Europe/France |



- Durable, corrosion-proof filter tank 6-position valve for easy control
- Top flange clamp design allows 360 degree rotation
- for easy installation
- Easy-to-read pressure gauge
- Strainer for separating leaves and other rough debris Free DVD included

| Item No. | Name | Pump flow rate L (Gal.) / hr | System flow rate L (Gal.) / hr | Rating | Certification | Package | Pack | kg (Lb.) | Remark |
|----------|------------------------|---------------------------------|-----------------------------------|----------------------------|---------------|----------------|------|-------------|--------|
| #58269 | Flowclear™ Sand Filter | 3,785 (1,000) | 3,785 (1,000) | 110-120V~60Hz, 2.4A | ETL | Full color box | 1 | 12.4 (27.3) | |
| #58269US | Flowclear™ Sand Filter | 3,785 (1,000) | 3,785 (1,000) | 110-120V~60Hz, 2.4A W/GFCI | ETL | Full color box | 1 | 12.4 (27.3) | U.S.A. |
| #58257 | Flowclear™ Sand Filter | 3,785 (1,000) | 3,785 (1,000) | 220-240V~50Hz, 200W | CE / EMC | Full color box | 1 | 12.0 (26.4) | Europe |
| #58258 | Flowclear™ Sand Filter | 3,785 (1,000) | 3,785 (1,000) | 220-240V~50Hz, 200W | CE / EMC | Full color box | 1 | 12.2 (26.8) | France |

Pool Accessories 43



Strainer

- Easy-access assembly makes service simple
 Compatible with most above ground pools!
- Sand not included
 - Required sand size: #20 silica sand, 0.45-0.85mm, approximately 18kg





Strainer



- Durable, corrosion-proof filter tank
- ▲ 6-position valve for easy control Top flange clamp design allows 360 degree rotation for easy installation
- Easy-to-read pressure gauge
- Easy-access assembly makes service simple
 - Package also includes adaptors for pool valves with an outer diameter of 32mm (1.25") Compatible with most above ground pools!
 - Sand not included
- Required sand size: #20 silica sand, 0.45-0.85mm, approximately 25kg Strainer for separating leaves and other rough debris Free DVD included

| Item No. | Name | Pump flow rate L (Gal.) / hr | System flow rate L (Gal.) / hr | Rating | Certification | Package | Pack | kg (Lb.) | Remark |
|----------|------------------------------------|---------------------------------|-----------------------------------|----------------------------|---------------|----------------|------|-------------|--------|
| #58270 | Flowclear [™] Sand Filter | 5,678 (1,500) | 5,299 (1,400) | 110-120V~60Hz, 3.2A | ETL | Full color box | 1 | 15.3 (33.7) | |
| #58270US | Flowclear™ Sand Filter | 5,678 (1,500) | 5,299 (1,400) | 110-120V~60Hz, 3.2A W/GFCI | ETL | Full color box | 1 | 15.3 (33.7) | U.S.A. |
| #58199 | Flowclear [™] Sand Filter | 5,678 (1,500) | 5,299 (1,400) | 220-240V~50Hz, 300W | CE / EMC | Full color box | 1 | 14.9 (32.9) | Europe |
| #58256 | Flowclear™ Sand Filter | 5,678 (1,500) | 5,299 (1,400) | 220-240V~50Hz, 300W | CE / EMC | Full color box | 1 | 15.4 (34.0) | France |

Bestway Steel Pro Frame Pod

> The Bestway Hydro-Force Sand Filter now ships with an integrated Ozonator! Sand filtration has long been the gold standard of swimming pool water filtration, while ozonation is renowned for water purification and the environmental benefits from the reduced use of pool chemicals. By combining sand filtration with ozonation, swimming pool water is sure to be clean clear and totally refreshing.


- Durable, corrosion-proof filter tank
- G-position valve for easy control
 Top flange clamp design allows 360 degree rotation for easy installation
- Easy-to-read pressure gauge
 Strainer for separating leaves and other rough debris
- Provides clean and clear swimming pool water Ozone output: 150 mg/h
- Powerful
- Healthy Ozone leaves no chemical by-products in water, no chemical taste or smell.
- Key Benefits

| Item No. | Name | Pump flow rate L (Gal.) / hr | System flow rate L (Gal.) / hr | Rating | Certification | Package | Pack | kg (Lb.) | Remark |
|----------|---|---------------------------------|-----------------------------------|----------------------------|---------------|----------------|------|-------------|---------------|
| #58287 | Flowclear [™] Sand Filter with Ozonatorr | 4,542 (1,200) | 4,164 (1,100) | 110-120V~60Hz, 3.2A | | Full color box | 1 | 16.7 (36.9) | |
| #58287US | Flowclear [™] Sand Filter with Ozonatorr | 4,542 (1,200) | 4,164 (1,100) | 110-120V~60Hz, 3.2A W/GFCI | | Full color box | 1 | 16.7 (36.9) | U.S.A. |
| #58286 | Flowclear [™] Sand Filter with Ozonatorr | 4,542 (1,200) | 4,164 (1,100) | 220-240V~50Hz, 300W | CE / EMC | Full color box | 1 | 16.8 (37.1) | Europe/France |











- Increases the swimming pool water temperature by approximately 0.5-1.5°C/h (1-3°F/h) depending on total water
- volume Compatible with:

- -Swimming pools: 4.57m (15') and smaller -Swimming pool water volume: 1,520 ~ 18,930L (400 ~ 5,000gal.) -Filter pump/Sand filter flow rate: 3,785 L/h (1,000 gal/h) and below 3,785 L/h (1,000 gal/h)

| | | and the second | | | | | |
|----------|-----------------------|--|---------------|----------------|------|-------------|--------|
| ltem No. | Maximum heater output | Rating | Certification | Package | Pack | kg (Lb.) | Remark |
| #58259 | 40°C (104°F) | 220-240V~50Hz, 2,800W at 20°C | CE / GS /EMC | Full color box | 4 | 20.6 (45.3) | Europe |



- Convenient and easy to use!
- Helps keep pool water extra clean Rinse dirt and debris from pool filter cartridges
- Suitable for all brands of woven filter cartridge
- Clam shell
- ▲ 24 Ea., 5.3 kg (11.6 Lb.)

Pool Accessories 47



| ltem No. | Pump flow rate L (Gal.) / hr | Rating | Certification | Package | Pack | kg (Lb.) | Remark |
|----------|---------------------------------|---------------------|---------------|----------------|------|-------------|--------|
| #58261 | 3,028 (800) | 110-120V~60Hz, 0.8A | | Full color box | 4 | 13.1 (28.9) | |
| #58230 | 3,028 (800) | 220-240V~50Hz, 85W | CE / GS | Full color box | 4 | 13.1 (28.9) | Europe |



Flowclear™ Filter Pumps



| | - | |
|--------------|-----------|---|
| | | 1 |
| | | |
| | | |
| - Triber and | RUNNING S | 2 |

| ltem No. | Pump flow rate L (Gal.) / hr | System flow rate L (Gal.) / hr | Pool Compatibility | Certification | Pack | kg (Lb.) | Country | Rating | Filter Cartridge |
|----------|---------------------------------|-----------------------------------|-----------------------|---------------|------|-----------|---------|-----------------------------------|---------------------|
| #58144 | 1,249 (330) | 1,060 (280) | | UL | 1 | 2.3 (5.2) | | 110-120V~ 60Hz, 0.2A | #58168 |
| #58144US | 1,249 (330) | 1,060 (280) | | UL | 1 | 2.4 (5.4) | U.S.A. | 110-120V~ 60Hz, 0.2A W/GFCI | |
| #58145 | 1,249 (330) | 1,060 (280) | | CE | 1 | 1.9 (4.2) | Europe | 220-240V~ 50Hz, 25W | #58093 |

| Item No. | Pump flow rate L (Gal.) / hr | System flow rate L (Gal.) / hr | Pool Compatibility | Certification | Pack | kg (Lb.) | Country | Rating | Filter Cartridge |
|----------|---------------------------------|-----------------------------------|---|---------------|------|-----------|---------|-----------------------------------|---------------------|
| #58147 | 2,006 (530) | 1,817 (480) | | UL | 1 | 3.2 (7.1) | | 110-120V~ 60Hz, 0.6A | #58012 |
| #58147US | 2,006 (530) | 1,817 (480) | | UL | 1 | 3.3 (7.3) | U.S.A. | 110-120V~ 60Hz, 0.6A W/GFCI | U |
| #58148 | 2,006 (530) | 1,817 (480) | | CE | 1 | 2.5 (5.5) | Europe | 220-240V~ 50Hz, 45W | #58094 |
| #58149 | 2,006 (530) | 2,006 (530) | 2.87m (113"), 4.04m (159"), 4.12m (162" Splash Frame Pools Steel Wall Pools | CE | 1 | 3.3 (7.3) | France | 220-240V~ 50Hz, 45W | |

FlowclearTM Cartridges

| ltem No. | #50000 | #50004 | #50010 | #E000E | #E0160 | #50000 |
|------------------------|-------------------------------------|--|--|---|-------------------------------------|---|
| | #58093 | #58094 | #58012 | #58095 | #58168 | #58239 |
| Name | Filter Cartridge (1) | Filter Cartridge (II) | Filter Cartridge (III) | Filter Cartridge (IV) | Filter Cartridge (V) | Filter Cartridge (VI) |
| Product | | | | | | |
| Size | Ø8.0cm x H9.0cm (Ø3.1" X H3.5") | Ø10.6cm x H13.6cm (Ø4.2" X H5.4") | Ø10.6cm x H20.3cm (Ø4.2" X H8.0") | Ø14.2cm x H25.4cm (Ø5.6" X H10.0") | Ø8.3cm x H8.0cm (Ø3.3" X H3.1")) | Ø10.6cm x H4.0cm (Ø4.2" x H1.6") |
| Corresponding Pumps | 330 gal. (220-240V) filter pumps | 530 gal. (220-240V) 800 gal. (220-240V) filter pumps | 530/800 gal. (110-120V) 1,300/1,500 gal. (110-120V/220-240V) filter pumps | 2,100/2,500 gal. (110-120V/220-240V) filter pumps | 330 gal. (110-120V) filter pumps | Replacement cartridge for Lay-Z-Spa™ (Miami/Vegas/Monaco) |
| Package | Shrink wrapped with insert card | Shrink wrapped with insert card | Shrink wrapped with insert card | Shrink wrapped with insert card | Shrink wrapped with insert card | Shrink wrapped with insert card |
| Pack | 6 Sets, (Twin pack) | 6 Sets, (Twin pack) | 6 Ea. | 6 Ea. | 6 Sets, (Twin pack) | 6 Sets, (Twin pack) |
| kg (Lb.) | 1.0 (2.1) | 1.7 (3.8) | 1.2 (2.6) | 2.7 (5.9) | 0.8 (1.7) | 1.2 (2.7) |
| | | | | | | |

Flowclear™ Filter Pumps







Coni

#5

#5

Hose Adapters



- Made from durable,
- corrosion-proof materials
 For pumps with hose size 1-1/2in.
- (38mm) Easy to install
- Instructional manual included! Two pieces set on a blister card
- ▲ 12 Sets., 2.0 kg (4.5 Lb.)

Pool Accessories 49

| em No. | Pump flow rate L (Gal.) / hr | System flow rate L (Gal.) / hr | e Pool Compatibility | Certification | Pack | kg (Lb.) | Country | Rating | | Filter Cartridge | |
|-------------|---------------------------------|-----------------------------------|---|---------------|------|-------------|---------|-----------------------------------|---|---------------------|--|
| 58116 | 3,028 (800) | 2,460 (650) | Fast Set™ Pools Oval Fast Set™ Pools | UL | 1 | 3.2 (6.9) | | 110-120V~ 60Hz, 0.6A | | #58012 | |
| 8116US | 3,028 (800) | 2,460 (650) | | UL | 1 | 3.3 (7.2) | U.S.A. | 110-120V~ 60Hz, 0.6A W/GFCI | | | |
| 58117 | 3,028 (800) | 2,460 (650) | | CE | 1 | 2.5 (5.5) | Europe | 220-240V~ 50Hz, 45W | | #58094 | |
| 58118 | 3,028 (800) | 2,650 (700) | Splash Frame Pools Steel Wall Pools | CE | 1 | 3.5 (7.7) | France | 220-240V~ 50Hz, 85W | | | |
| em No. | Pump flow rate L (Gal.) / hr | System flow rate L (Gal.) / hr | e Pool Compatibility | Certification | Pack | kg (Lb.) | Country | Rating | | Filter Cartridge | |
| 58121 | 5,678 (1,500) | 4,542 (1,200) | Fast Set [™] Pools | UL | 1 | 5.3 (11.8) | | 110-120V~ 60Hz, 1.8A | | #58012 | |
| 8121US | 5,678 (1,500) | 4,542 (1,200) | | UL | 1 | 5.4 (12.0) | U.S.A. | 110-120V~ 60Hz, 1.8A W/GFCI | | | |
| 58122 | 5,678 (1,500) | 4,542 (1,200) | | CE | 1 | 5.0 (11.1) | Europe | 220-240V~ 50Hz, 145W | • | | |
| 58123 | 4,921 (1,300) | 4,164 (1,100) | | CE | 1 | 5.8 (12.8) | France | 220-240V~ 50Hz, 145W | | | |
| onnectors / | Available | | | | | | | | | | |
| em No. | Pump flow rate L (Gal.) / hr | System flow rate L (Gal.) / hr | e Pool (Compatibility | Certification | Pack | kg (Lb.) | Country | Rating | | Filter Cartridge | |
| 58222 | 9,463 (2,500) | 7,192 (1,900) | | ETL | 1 | 11.4 (25.1) | | 110-120V~ 60Hz, 3.3A | | #58095 | |
| 8222US | 9,463 (2,500) | 7,192 (1,900) | | ETL | 1 | 11.5 (25.4) | U.S.A. | 110-120V~ 60Hz, 3.3A W/GFCI | | | |
| 58221 | 9,463 (2,500) | 7,192 (1,900) | | CE / EMC | 1 | 11.3 (24.9) | Europe | 220-240V~ 50Hz, 400W | • | | |
| 58229 | 7,949 (2,100) | 6,624 (1,750) | | CE / EMC | 1 | 12.1 (26.7) | France | 220-240V~ 50Hz, 400W | | | |
| onnectors / | Available | | | | | | | | | | |



Hoses

- 4 2m (6.6') long, 32mm (1-1/4") diameter
 Suitable for filter pumps,
- sand filters, heaters and chlorinators that use 32mm (1-1/4") hoses • 6 Ea., 2.0 kg (4.3 Lb.)



- 2m (6.6') long, 38mm (1-1/2") diameter
 Suitable for filter pumps and sand filters that use 38mm (1-1/2") hoses
 6 Ea., 4.0 kg (8.9 Lb.)





Solar Pool Covers Oval Fast Set™ Pools



| Item No | o. Size | Corresponding Pools | Pack | kg (Lb.) | | | | | | |
|---------|--------------------------------|--|------|-----------|------------|----------------|---------------------|------|-----------|--|
| #58255 | 4.10m x 2.60m (161" x 102") | 4.88m x 3.05m x 1.07m (16' x 10' x 42") | 2 | 3.2 (7.1) | Item No. | Size | Corresponding Pools | Pack | kg (Lb.) | |
| | 1.75m v 2.00m | 5.49m x 3.66m x 1.22m | | | #58060 | Ø2.10m (Ø83") | 2.44m (8') | 4 | 2.6 (5.8) | |
| #58155 | (187" x 126") | (18' x 12' x 48") | 1 | 2.2 (4.9) | #58061 | Ø2.50m (Ø98") | 3.05m (10') | 4 | 3.3 (7.3) | |
| #58152 | 5.25m x 3.30m | 6.10m x 3.66m x 1.22m | 1 | 2.5 (5.5) | #58062 | Ø3.00m (Ø118") | 3.66m (12') | 2 | 2.4 (5.3) | |
| | (207" x 130") | (20' x 12' x 48") | | · · · | #58065 | Ø3.81m (Ø150") | 4.57m (15') | 1 | 2.0 (4.5) | |
| #58153 | 6.45m x 3.30m (254" x 130") | 7.32m x 3.66m x 1.22m (24' x 12' x 48") | 1 | 3.2 (6.9) | #58066 | Ø4.55m (Ø179") | 5.49m (18') | 1 | 2.6 (5.7) | |
| Remark | | | | | Remark | | | | | |

Bestway



| Item No. | Size | Corresponding Pools | Pack | kg (Lb.) |
|----------|----------------|---------------------------|------|-------------|
| #58036 | Ø3.05m (Ø10') | 3.05m (10') | 6 | 5.8 (12.7) |
| #58037 | Ø3.66m (Ø12') | 3.66m (12') | 6 | 7.8 (17.2) |
| #58248 | Ø4.30m (Ø169") | 4.27m (14') | 4 | 7.1 (15.6) |
| #58038 | Ø4.57m (Ø15') | 4.57m x 91cm (15' x 36") | 4 | 7.6 (16.7) |
| #58134 | Ø4.57m (Ø15') | 4.57m x 1.22m (15' x 48") | 4 | 7.7 (16.9) |
| #58249 | Ø4.90m (Ø193") | 4.88m (16') | 4 | 8.2 (18.1) |
| #58039 | Ø5.49m (Ø18') | 5.49m (18') | 4 | 11.0 (24.3) |
| | • PE r | | | |

Pool Accessories 51

Pool Covers Frame Pools



Ite

| sponding Pools | Pack | kg (Lb.) | | | | |
|---|------|-------------|--|--|--|--|
| | 6 | 3.7 (8.2) | | | | |
| 3.05m (10') | 6 | 5.5 (12.2) | | | | |
| 3.66m (12') | 6 | 7.1 (15.5) | | | | |
| 4.57m (15') | 4 | 8.0 (17.6) | | | | |
| 5.49m (18') | 4 | 10.7 (23.7) | | | | |
| ncludes ropes to secure cover ter from accumulating • Full color box | | | | | | |





| em No. | Size | Corresponding Pools | Pack | kg (Lb.) | | | | |
|--------|---|--|------|------------|--|--|--|--|
| 58103 | 2.24m x 1.54m (88" x 61") | 2.21m x 1.50m x 43cm (87" x 59" x 17") | 8 | 4.4 (9.7) | | | | |
| 58104 | 2.44m x 1.54m (96" x 61") | 2.39m x 1.50m x 58cm (94" x 59" x 23") | 8 | 4.8 (10.5) | | | | |
| 58105 | 2.64m x 1.74m (104" x 69") | 2.59m x 1.70m x 61cm (102" x 67" x 24") | 8 | 5.4 (12.0) | | | | |
| 58106 | 3.04m x 2.05m (120" x 81") | 3.00m x 2.01m x 66cm (118" x 79" x 26") | 6 | 4.8 (10.6) | | | | |
| 58107 | 4.04m x 2.14m (159" x 84") | 4.00m x 2.11m x 81cm (157" x 83" x 32") | 6 | 7.0 (15.4) | | | | |
| 58231 | 2.70m x 1.85m (106" x 73") | 2.87m x 2.01m x 1.00m (113" x 79" x 39.5") | 6 | 4.3 (9.4) | | | | |
| 58232 | 3.96m x 1.85m (156" x 73") | 4.04m x 2.01m x 1.00m (159" x 79" x 39.5") 4.12m x 2.01m x 1.22m (162" x 79" x 48") | 6 | 6.0 (13.3) | | | | |
| mark | • PE material • Includes rongs to secure cover • Full color boy | | | | | | | |





Pool Floor Protector







Durable Polyethylene

Provides added protection for pool floors







| Item No. | Size | Package | Pack |
|--------------------|--------------------|---------------------|-----------|
| #58043 | 76cm (30") | Shelf box w/picture | 1 |
| Remark | | | |
| | | | |
| Item No. | Size | Package | Pack |
| Item No. #58046 | Size 76cm (30") | 0 | Pack 1 |
| | 76cm (30") | 0 | 1 |



Item No. Size Package Pack kg (Lb.) #58097FR 1.22m (48") Shelf box w/picture 1 12.7 (27.9) Remark

Pool Accessories 53

| kg (Lb.) | |
|------------|--|
| 6.1 (13.3) | |
| | |
| kg (Lb.) | |
| 5.8 (12.8) | |
| | |
| | |


| Item No. | Size | Package | Pack | kg (Lb.) | | |
|--|--------------------|---------------------|------|-------------------------------|--|--|
| #58042 | 91cm (36") | Shelf box w/picture | 1 | 7.7 (17.0) | | |
| Remark Designed for the North America and Netherlands mark | | | | | | |
| | | | | | | |
| Item No. | Size | Package | Pack | kg (Lb.) | | |
| Item No. #58045 | Size 91cm (36") | Ũ | | kg (Lb.) 7.2 (15.8) | | |

Re-engineered

Pool Ladders

91cm (36") #58042/#58045

Pool Ladders 1.07m (42")





| Size | Package | Pack | kg (Lb.) | | | |
|--------------------------------|--|---|---|--|--|--|
| 1.07m (42") | Shelf box w/picture | 1 | 8.2 (18.0) | | | |
| Designed for th | ne North America and | l Netherla | ands markets | | | |
| Size | Package | Pack | kg (Lb.) | | | |
| 1.07m (42") | Shelf box w/picture | 1 | 7.6 (16.8) | | | |
| Des | igned for the Europe | an marke | ets | | | |
| Size | Package | Pack | kg (Lb.) | | | |
| 1.07m (42") | Shelf box w/picture | 1 | 9.4 (20.8) | | | |
| Designed for the French market | | | | | | |
| | 1.07m (42") Designed for the Size 1.07m (42") Des Size 1.07m (42") | 1.07m (42") Shelf box w/picture Designed for the North America and Size Package 1.07m (42") Shelf box w/picture Designed for the Europea Size Package 1.07m (42") Shelf box w/picture Designed for the Europea Size Package 1.07m (42") Shelf box w/picture | 1.07m (42") Shelf box w/picture 1 Designed for the North America and Netherla Size Package 1.07m (42") Shelf box w/picture 1 Designed for the European market Size Package Package Pack 1.07m (42") Shelf box w/picture 1 Designed for the European market Size Size Package Pack 1.07m (42") Shelf box w/picture 1 | | | |



- Rust-resistant metal frame
- Heavy-duty plastic steps
- Easy construction



Pool Ladders

| Item No. | Size | Package | Pack | kg (Lb.) | | |
|----------|--------------------------------|----------------------|-----------|--------------|--|--|
| #58159 | 1.32m (52") | Shelf box w/picture | 1 | 12.7 (28.0) | | |
| Remark | Designed for the | ne North America and | l Netherl | ands markets | | |
| Item No. | Size | Package | Pack | kg (Lb.) | | |
| #58160 | 1.32m (52") | Shelf box w/picture | 1 | 11.6 (25.5) | | |
| Remark | | | | | | |
| Item No. | Size | Package | Pack | kg (Lb.) | | |
| #58160FR | 1.32m (52") | Shelf box w/picture | 1 | 13.8 (30.4) | | |
| Remark | Designed for the French market | | | | | |

Maintenance Kit







- Includes a light weight pole with interchangeable vacuum and skimmer heads
- Vacuum has a one piece
- cleaning head with
- reusable debris bag Vacuum connects to
- garden hose
- Skimmer has a durable mesh netting

| Item No. | Size | Corresponding Pools | Package | Pack | kg (Lb.) |
|----------|--------------|--|---------------------|------|------------|
| #58013 | 2.03m (80") | For use with 3.66m (12') and below pools | Shelf box w/picture | 6 | 5.5 (12.2) |
| #58098 | 2.54m (100") | For use with 4.57m (15') and above pools | Shelf box w/picture | 6 | 7.3 (16.1) |

Pool Vacuum Four section aluminum poles easy assemble Three adapters for use with different pools and filter pump systems Removable and reusable debris and leaf bag Two angled conversion nozzles, one with a brush ▲ Extra long vacuum hose 6m (19.7') long, 3.2cm (1.25") diameter Attach to the filter pump for light cleaning your pool Item No. Size Corresponding Pools Package Pack kg (Lb.) #58212 2.24m (88") Shelf box w/picture 10.9 (24.0) 6





#58234 2.79m (110") r use with 4.57m (15') and below pools Shelf box w/picture 4 13.7 (30.3)

Deluxe Maintenance Kit



-Pool vacuum: working with the filter pump cleans pool walls and floor



Pool Surface Skimmer



- ▲ Durable and corrosion-proof plastic material Mount on the pool wall to suck floating leaves or other debris Attach to the filter pump for skimming automatically Easy to clean ▲ Fits the filter pump with 3,028 L/h (800 gal/h) flow rate and above

- For use with 4.57m (15') and
- above pools
- Full color box
- 4 Ea., 8.9 kg (19.6 Lb.)

Pool Accessories 55

 Fits the filter pump with 3,028 L/h (800 gal/h) flow rate and above

| | Item No. | Name | Size | Corresponding Pools | Package | Pack | kg (Lb.) |
|---|----------|---------------------------|--------------|---|---------------------|------|-------------|
| 7 | #58237 | Deluxe Maintenance Kit | 2.79m (110") | For use with 4.57m (15') and above pools | Shelf box w/picture | 2 | 13.4 (29.5) |



leaves and other debris

Pool Accessories Set



- Maintenance Kit: Four-section structure
- For use with 3.66m (12') and below pools Each Set in a clam shell
- 4 Sets, 6.2 kg (13.7 Lb.)



Set includes

| Item No. | Description | Quantity | Detailed On | |
|----------|---------------------------|----------|-------------|--|
| #58013 | Maintenance Kit | 1 Ea. | P54 | |
| #58071 | Chemical Floater | 1 Ea. | P57 | |
| #58072 | Floating Pool Thermometer | 1 Ea. | P59 | |
| #58142 | Pool and Spa Test Strips | 1 Ea. | P58 | |
| #62068 | Heavy-duty Repair Patch | 1 Ea. | P59 | |



4 24 Ea., 18.0 kg (39.7 Lb.)

Pool Accessories 57



Chemical Floater



- Dispenses 2.5cm (1") chemical tablets Adjustable dial to control the release



- No tablets included
- Contractive construction
- Shrink wrapped with insert card
- ▲ 24 Ea., 2.5 kg (5.5 Lb.)



- Dispenses chlorine or bromine tablets
- Adjustable dial to control the sanitizer





- Easy to read temperature gauge
- Displays in both Fahrenheit and Celsius
- No tablets included
- 3 assorted colors
- Full color box
- ▲ 12 Ea., 6.6 kg (14.5 Lb.)



- No tablets included
- Full color box
- ▲ 12 Ea., 5.0 kg (11.1 Lb.)

- Dispenses 7.6cm (3") chemical tablets
- Adjustable dial to control the release
- Integrated with a thermometer

Pool and Spa Test Strips

- The ideal solution for basic pool and spa water testing
- Easy Color-Match System
- Contains 50 test strips
- ▲ 18-Month Shelf Life Blister card





- ▲ 3-in-1 Test Strip:
- -Free Chlorine -pH -Total Alkalinity Measures Free Chlorine 0 to 10 ppm, Alkalinity 0 to 240 ppm and pH 6.2 to 8.4 with instant results

Pool and Spa Test Kit

▲ 24 Ea., 1.2 kg (2.7 Lb.)


Jew



 Measures pH 6.2 to 8.4, Free Chlorine 0 to 10 ppm, Total Chlorine 0 to 10 ppm, Total Hardness 0 to 1000 ppm and Total Alkalinity 0 to 240 ppm with instant results ▲ 24 Ea., 1.2 kg (2.7 L b)








- Great for repairing air beds, inflatable toys and above ground pools Vinyl cement (5 grams, 0.18 oz.)
- 4 repair patches (70 cm², 11 sq. in.)

0

- Sandpaper (12 cm², 1.9 sq. in.)
- Storage box packaging
- ▲ 24 pcs/inner
- ▲ 72 Ea., 2.0 kg (4.3 Lb.)





- Electronically tests the pH and chlorine levels, providing instant, accurate results
- Auto-rectification makes it easy to use

New

- Measuring Range: Cl: Scale shows 0.5 to 6.0 ppm pH: Scale shows 5.5 to 9.0 ppm
- Clam shell
- 12 pcs/inner
- 4 24 Ea., 6.6 kg (14.6 Lb.)





- 10 pcs included
- 42.3cm² (6.55 sq. in.) stick-on patches
- Blister card
- 4 72 Ea., 1.6 kg (3.5 Lb.)

Assorted Float Pool Thermometer



- Floating design
- Easy to read temperature gradation Displays in both Fahrenheit and Celsius

3-Way-Pool & Spa Test Kit: - -pH -Free Chlorine -Bromine

The ideal solution for basic pool and spa water testing - Easy Color-Match System

- Measures Free Chlorine 0.5 to 5 ppm, Bromine 1 to
 72 Sets., 11.0 kg (24.3 Lb.) ▲ 10 ppm and pH 6.8 to 8.2 with instant results
- 2-Year Shelf Life Plastic Box

Pool Accessories 59

Repair Patch



- 10 pcs included
- 42.3cm² (6.55 sq. in.) stick-on patches
- Blister card
- ▲ 72 Ea., 1.5 kg (3.3 Lb.)

Repair Kit



and.

- 0.18 oz.(5 grames) tube of vinyl cement
- ▲ 130cm² (20 sq. in.) PVC swatch
- Blister card
- ▲ 72 Ea., 1.6 kg (3.6 Lb.)

String attached to keep thermometer in place 4 assorted design Blister card

▲ 24 Ea., 4.1 kg (9.0 Lb.)



Floating Pool Thermometer

- ABS construction
- String attached to keep thermometer in place
- Floating design
- Easy to read temperature gradation
- Displays in both Fahrenheit and Celsius
- Blister card
- ▲ 36 Ea., 4.4 kg (9.7 Lb.)

Pool Plus Alarm™



- Two-piece pool alarm system features a water surface sensor and an indoor receiver. When the surface sensor detects motion on the water, it sends a signal to the receiver, activating a high-frequency warning sound.
- Easy to install and convenient to use
- Provides 24-hour protection for children
- A Remote alarm receiver
- Plugs into any home socket
- Can be placed up to 25m from the pool
- Conveniently located inside the user's home
- Pool surface sensor requires a 9V battery (not included) Alarm sensitivity can be adjusted to prevent false alarms due to
- environmental phenomena such as wind
- Fully waterproof construction
- Corrosion resistant for long life

| Item No | . Rating | Package | Pack | kg (Lb.) | Remark |
|---------|---------------|----------------|------|-------------|--------|
| #58268 | 110-120V~60Hz | Full color box | 24 | 12.5 (27.5) | |
| #58207 | 220-240V~50Hz | Full color box | 24 | 12.4 (27.3) | Europe |

Solar-Float Lamp



wist-Touch Sensor Pool+ Alarm Receiver™



- ▲ Ø18cm (Ø7")
- ▲ 1.2V
- Advanced LED technology, multi-color alternating light
- Waterproof
- Solar-powered
- Turns on automatically at night
- Great for decoration on lawns or patios
- Simply place the Solar-Float Lamp in the sun and when night falls watch your yard come to light
- Extra long 8-hour run time
- Full color box
- 4 24 Ea., 10.1 kg (22.3 Lb.)

Pool⁺ Solar Water Heater New



- Easy setup
- An economical and environmentally

Solar-Pro Shower™



- ▲ 41cm x 58cm (16" x 23")
- Solar heated
- Easy to read temperature strip
- Compact and easy to use Reinforced handle is convenient for
- hanging and transporting the shower Heats up to 20 L (5.3 gal) of water for
- multiple showers
- Great for outdoor adventures
- Full color box
- ▲ 24 Ea., 11.9 kg (26.3 Lb.)

Pool Accessories 61



Here is a fast way to heat your pool this summer and extend your swimming experience! The Bestway solar water heater is convenient to set up and easy to use. Simply connect the solar heater to the pool's water filter and watch water temperatures rise by up to 3-5°C (5-9°F). The solar panels are uniquely designed and can be easily connected together to get swimming







1.63m x 1.63m x 35.5cm (64" x 64" x 14")
Water capacity (90%): 771 L (204 gal.)
3 Ea., 20.8 kg (45.9 Lb.)



#56217 My First Frame Pool

- 1.22m x 1.22m x 30.5cm (48" x 48" x 12")
 Water capacity (90%): 365 L (96 gal.)
 3 Ea., 14.1 kg (31.1 Lb.)

3 Assorted Colors









My First Frame Pools

- Easy set up
 Rust-resistant metal frames
- Heavy-duty PVC and polyester 3-ply side walls
 Flow control drain valve for easy draining. Valve attaches to garden hose so water can be drained away from the pool area • Easy to take down for off-season storage

New Colors

- ▲ 3 assorted colors
- Heavy-duty repair patch
- Full color box

Extra strength side walls are made with 3 separate layers of material. The inner layer of polyester mesh is laminated to the 2 outer heavy gauge PVC layers. This creates a total thickness of 0.40-0.80 mm (16-32 ga.) depending on the size of the pool

3 Assorted Colors



#56219

2.21m x 1.50m x 43cm (87" x 59" x 17")
Water capacity (90%): 1,200 L (317 gal.)
3 Ea., 36.0 kg (79.4 Lb.)

#56220

2.39m x 1.50m x 58cm (94" x 59" x 23")
Water capacity (90%): 1,800 L (476 gal.)
3 Ea., 43.4 kg (95.7 Lb.)

#56221

V

2.59m x 1.70m x 61cm (102" x 67" x 24")
Water capacity (90%): 2,300 L (608 gal.)
3 Ea., 49.3 kg (108.6 Lb.)



65

#56222

- 3.00m x 2.01m x 66cm (118" x 79" x 26")
 Water capacity (90%): 3,300 L (872 gal.)
 3 Ea., 62.3 kg (137.2 Lb.)





The Reliable Sun Protection Line[™]

Exposure to Ultra-Violet radiation causes not only sunburn but also lasting skin damage that can result in premature skin aging, wrinkles and possibly skin cancer. Excessive exposure to Ultra-Violet radiation can also cause eye disorders such as cataracts. Young children do not understand the dangers of Ultra-Violet radiation but parents do! Protect your children with sun shade, sunscreen and specially design UV Careful[™] products. It's all in the name UV Careful[™].



UPF or Ultra-Violet Protection Factor is the amount of sun protection offered by the unique properties of the materials used to make this product.

Splash-in-Shade Play Pool

- 2.44m x 51cm (8' x 20")
- Easy set up
- Rust-resistant metal frames
- Heavy-duty PVC and polyester 3-ply side walls
- Flow control drain valve for easy draining
- Valve attaches to garden hose so water can be drained away from the pool area
- UPF 40+ Rated
- Water mister on the top of shade attaches to home garden hoses
- Package includes a free DVD detailing pool set-up and maintenance
- Heavy-duty repair patch
- Full color box
- Water capacity (90%): 1,688 L (446 gal.)
- 1 Ea., 14.3 kg (31.6 Lb.)



-Heavy Gauge PVC -Polyester Mesh -Heavy Gauge PVC

Extra strength side walls are made with 3 separate layers of material. The inner layer of polyester mesh is laminated to the 2 outer heavy gauge PVC layers. This creates a total thickness of 0.40-0.80 mm (16-32 ga.) depending on the size of the pool





68 Index

| Lay-Z-Sp | а | | |
|----------|--------|-------------|-----|
| | #54124 | Miami | P04 |
| | #54123 | Miami | P04 |
| | #54115 | Vegas | P06 |
| | #54112 | Vegas | P06 |
| AL-MA | #54116 | Monaco | P08 |
| | #54113 | Monaco | P08 |
| | #54100 | Massage Tub | P10 |
| | #54102 | Massage Tub | P10 |

| Fast Set ^T | ^M Pools | |
|--|----------------------|-----|
| 2.44m x 66cm | (8' × 26") | |
| | #57008 | P13 |
| and a | #57099 | P13 |
| | #57099US | P13 |
| | #57100 | P13 |
| | #57066 | P13 |
| 3.05m x 76cm | (10' × 30 ') | |
| | #57009 | P13 |
| distant in | #57108 | P13 |
| Canada and Canada | #57108US | P13 |
| | #57109 | P13 |
| | #57072 | P13 |
| 3.66m x 76cm | (12' × 30") | |
| | #57032 | P13 |
| | #57111 | P13 |
| | #57111US | P13 |
| 200 | #57112 | P13 |
| | #57074 | P13 |
| 3.66m x 91cm | (12' × 36") | |
| | #57164 | P15 |
| | #57165 | P15 |
| | #57165US | P15 |
| Concession of the local diversion of the loca | #57166 | P15 |
| | #57142 | P15 |
| 4.57m x 91cm | (15' × 36") | |
| | #57018 | P15 |
| | #57120 | P15 |
| | #57120US | P15 |
| 1 | #57121 | P15 |
| A COLORING | #57144 | P15 |
| Contraction of the local division of the loc | #57123 | P15 |
| | #57123US | P15 |
| | #57124 | P15 |
| | #57082 | P15 |

| Fast Set [™] | M Pools | |
|-----------------------|---|---|
| 4.57m x 1.07m | (15' x 42") | |
| | #57023 | P15 |
| 14-A2- | #57126 | P15 |
| | #57126US | P15 |
| and in the | #57127 | P15 |
| | #57084 | P15 |
| 4.57m x 1.22m | (15' x 48") | |
| | #57147 | P17 |
| | #57147US | P17 |
| ALC: NO | #57148 | P17 |
| and the second second | #57150 | P17 |
| 5.49m x 1.22m | (18' x 48") | |
| | #57229 | P17 |
| 27-24 | #57229US | P17 |
| 6000 | #57212 | P17 |
| | #57213 | P17 |
| 4.57m x 1.22m | (15' x 48") | |
| ٢ | #57242 | P19 |
| | | |
| Splash Fr | ame Pools | |
| Splash Fr | ame Pools #56040 2.21m x 1.50m x 43cm (87" x 59" x 17") | P21 |
| Splash Fr | #56040 2.21m x 1.50m x 43cm | P21 P21 |
| Splash Fr | #56040 2.21m x 1.50m x 43cm (87" x 59" x 17") #56041 2.39m x 1.50m x 58cm | |
| Splash Fr | #56040 2.21m x 1.50m x 43cm (87" x 59" x 17") #56041 2.39m x 1.50m x 58cm (94" x 59" x 23") #56042 2.59m x 1.70m x 61cm | P21 |
| Splash Fr | #56040 2.21m x 1.50m x 43cm (87" x 59" x 17") #56041 2.39m x 1.50m x 58cm (94" x 59" x 23") #56042 2.59m x 1.70m x 61cm (102" x 67" x 24") #56043 3.00m x 2.01m x 66cm | P21 P21 |
| | #56040 2.21m x 1.50m x 43cm (87" x 59" x 17") #56041 2.39m x 1.50m x 58cm (94" x 59" x 23") #56042 2.59m x 1.70m x 61cm (102" x 67" x 24") #56043 3.00m x 2.01m x 66cm (118" x 79" x 26") #56044 4.00m x 2.11m x 81cm | P21 P21 P21 |
| | #56040 2.21m x 1.50m x 43cm (87" x 59" x 17") #56041 2.39m x 1.50m x 58cm (94" x 59" x 23") #56042 2.59m x 1.70m x 61cm (102" x 67" x 24") #56043 3.00m x 2.01m x 66cm (118" x 79" x 26") #56044 4.00m x 2.11m x 81cm (157" x 83" x 32") | P21 P21 P21 |
| | #56040 2.21m x 1.50m x 43cm (87" x 59" x 17") #56041 2.39m x 1.50m x 58cm (94" x 59" x 23") #56042 2.59m x 1.70m x 61cm (102" x 67" x 24") #56043 3.00m x 2.01m x 66cm (118" x 79" x 26") #56044 4.00m x 2.11m x 81cm (157" x 83" x 32") x 66cm (118" x 79" x 26") | P21 P21 P21 P21 |
| | #56040 2.21m x 1.50m x 43cm (87" x 59" x 17") #56041 2.39m x 1.50m x 58cm (94" x 59" x 23") #56042 2.59m x 1.70m x 61cm (102" x 67" x 24") #56043 3.00m x 2.01m x 66cm (118" x 79" x 26") #56044 4.00m x 2.11m x 81cm (157" x 83" x 32") x 66cm (118" x 79" x 26") #56157 | P21 P21 P21 P21 P21 P21 |
| 2.00m x 2.01m | #56040 2.21m x 1.50m x 43cm (87" x 59" x 17") #56041 2.39m x 1.50m x 58cm (94" x 59" x 23") #56042 2.59m x 1.70m x 61cm (102" x 67" x 24") #56043 3.00m x 2.01m x 66cm (118" x 79" x 26") #56044 4.00m x 2.11m x 81cm (157" x 83" x 32") × 66ccm (118" x 79" x 26") #56157 #56078 #56079 | P21 P21 P21 P21 P21 P21 P21 |
| 2.00m x 2.01m | #56040 2.21m x 1.50m x 43cm (87" x 59" x 17") #56041 2.39m x 1.50m x 58cm (94" x 59" x 23") #56042 2.59m x 1.70m x 61cm (102" x 67" x 24") #56043 3.00m x 2.01m x 66cm (118" x 79" x 26") #56044 4.00m x 2.11m x 81cm (157" x 83" x 32") x 66ccm (118" x 79" x 26") #56078 #56079 x 81cm (157" x 83" x 32") | P21 P21 P21 P21 P21 P21 P21 |
| 2.00m x 2.01m | #56040 2.21m x 1.50m x 43cm (87" x 59" x 17") #56041 2.39m x 1.50m x 58cm (94" x 59" x 23") #56042 2.59m x 1.70m x 61cm (102" x 67" x 24") #56043 3.00m x 2.01m x 66cm (118" x 79" x 26") #56044 4.00m x 2.11m x 81cm (157" x 83" x 32") x 66ccm (118" x 79" x 26") #56157 #56078 #56079 x 81cm (157" x 83" x 32") x 81cm (157" x 83" x 32") | P21 P21 P21 P21 P21 P21 P21 P21 P21 |
| 2.00m x 2.01m | #56040 2.21m x 1.50m x 43cm (87" x 59" x 17") #56041 2.39m x 1.50m x 58cm (94" x 59" x 23") #56042 2.59m x 1.70m x 61cm (102" x 67" x 24") #56043 3.00m x 2.01m x 66cm (118" x 79" x 26") #56044 4.00m x 2.11m x 81cm (157" x 83" x 32") x 66ccm (118" x 79" x 26") #56078 #56079 x 81cm (157" x 83" x 32") | P21 P21 P21 P21 P21 P21 P21 |

2.44m x 61cm (8' x 24")

#56045

Steel Pro[™] Frame Pools

P23

| Steel Pro | o™ Frame Pools | |
|---------------------|--------------------|------|
| 3.05m x 76cm | n (10' x 30") | |
| | #56026 | P23 |
| - | #56058 | P23 |
| and some state | #56058US | P23 |
| - Andrew P | #56059 | P23 |
| 3.66m x 76cm | #56048 | P23 |
| 3.66m x 76cm | (12' x 30') | |
| | #56030 | P23 |
| | #56061 | P23 |
| | #56061US | P23 |
| | #56062 | P23 |
| | #56050 | P23 |
| 3.66m x 1.00r | | |
| | #56262 | P23 |
| ALC: NO | #56262US | P23 |
| degs. | #56260 | P23 |
| | #56261 | P23 |
| 0.000004.000 | | 1.23 |
| 3.66m x 1.22r | | Doc |
| | #56087 | P25 |
| Contraction (Sec.) | #56087US | P25 |
| | #56088 | P25 |
| | #56205 | P25 |
| | #56259 | P25 |
| 4.57m x 91cm | n (15' × 36") | |
| | #56017 | P25 |
| | #56064 | P25 |
| TANK ST. OF | #56064US | P25 |
| | #56066 | P25 |
| | #56052 | P25 |
| | #56282 | P25 |
| 4.57m x 1.22r | m (15' x 48") | |
| | #56099 | P25 |
| Total State | #56099US | P25 |
| | #56100 | P25 |
| | #56101 | P25 |
| 5.49m x 1.22r | m (18' x 48") | |
| | #56150 | P26 |
| ALC: NO | #56150US | P26 |
| | #56113 | P26 |
| ALC: NOT THE OWNER. | #56115 | P26 |
| 3.30m x 1.02r | | |
| | #56247 | P27 |
| Bornon | #56247US | P27 |
| 6 | #56245 | P27 |
| -1- | #56246 | P27 |
| 1.07m x 1.00 | | 121 |
| 4.27m x 1.22r | | DOO |
| | #56265 #56265US | P29 |
| | | P29 |
| Con 1 | #56263 | P29 |
| and set | #56264 | P29 |
| | #56276 | P29 |
| | | |
| | #56268 | P29 |
| and the | #56268US | P29 |
| Statistics. | #56266 | P29 |
| all mark | #56267 | P29 |
| | | |

#56277

| | Steel Pro | ™ Frame Pools | |
|---|--|-----------------------------|-----|
| | 5.49m x 1.32m |) 1 (18' x 52 ") | |
| 3 | | #56234 | P29 |
| 3 | and the second second | #56234US | P29 |
| 3 | ATTRACTOR | #56232 | P29 |
| 3 | Concest of | #56233 | P29 |
| 3 | | #56280 | P29 |
| | | | |
| 3 | | | |
| 3 | Pootopou | l Ilor Frama Daola | |
| 3 | necialiyi | ular Frame Pools | |
| 3 | 2.87m x 2.01m | 1 x 1.00m (113" x 79" x 39. | 5") |
| 3 | | #56250 | P31 |
| | BLAL | #56250US | P31 |
| 3 | Care Bar | #56248 | P31 |
| 3 | | #56249 | P31 |
| 3 | 4.04m x 2.01m | 1 x 1.00m (159" x 79" x 39. | 5") |
| 3 | | #56253 | P3 |
| | and the second | #56253US | P3 |
| 5 | Common State | #56251 | P3 |
| 5 | and the second | #56252 | P31 |
| 5 | | #56255 | P31 |
| 5 | 4.12m x 2.01m | 1.22m (162" x 79" x 48" |) |
| 5 | | #56243 | P3 |
| | No. of Concession, Name | #56243US | P31 |
| 5 | 6.00 | #56241 | P31 |
| 5 | 1000 | #56242 | P31 |
| 5 | | #56244 | P31 |
| 5 | 5.49m x 2.74m | n x 1.22m (18' x 9' x 48") | |
| 5 | | #56225 | P33 |
| 5 | AND DESCRIPTION OF | #56225US | P33 |
| | Con the | #56223 | P33 |
| 5 | | #56224 | P33 |
| 5 | | #56256 | P3(|
| 5 | 6.71m x 3.66m | 1.32m (22' x 12' x 52") | |
| 5 | | #56274 | P33 |
| | ALC: NOT ALC | #56274US | P33 |
| 6 | (and | #56272 | P3(|
| 5 | The State | #56273 | P3: |
| 5 | | #56278 | P3(|
| 6 | 7.32m x 3.66m | | |
| | | #56231 | P33 |
| 7 | and the second | #56231US | P3; |
| 7 | and and a second | #56229 | P3; |
| 7 | | #56230 | P3: |
| 7 | | #56279 | P3: |
| | | | |
|) | | | |
|) | Oval Fast | : Set™ Pools | |
|) | | | |
|) | 4.88m x 3.05m | x 1.07m (16' x 10' x 42") | |
|) | | #56271 | P3: |
| | | #56269 | P3 |
| 9 | | #56270 | P3: |
| | E 40mm v 0 66m | 100m(10!+10!+40!) | |

#56160 #56153 #56152

A STATE

P29

P35 P35 P35

Oval Fast Set™ Pools

| 6.10m x 3.66m | 1 x 1.22m (20' x 12' x 48") | |
|---------------|-----------------------------|-----|
| Lange and | #56161 | P35 |
| | #56119 | P35 |
| | #56121 | P35 |

| Steel Wa | l Pool | S | |
|--------------------|-----------|---------------------|-----|
| 3.05m x 1.22m | (10' x 48 | 3") | |
| | #56300 | | P37 |
| | #563001 | JS | P37 |
| | #56290 | | P37 |
| | #56291 | | P37 |
| #56299 | P37 | #56299US | P37 |
| #56284 | P37 | #56287 | P37 |
| 3.66m x 1.22m | (12' × 48 | 3") | |
| | #56302 | | P37 |
| | #56302US | | P37 |
| | #56292 | | P37 |
| | #56293 | | P37 |
| #56301 | P37 | #56301US | P37 |
| #56285 | P37 | #56288 | P37 |
| 4.88m x 3.66m | x 1.22m | n (16' x 12' x 48") | |
| | #56304 | | P39 |
| and a state of the | #56304l | JS | P39 |
| | #56294 | | P39 |
| | #56295 | | P39 |
| #56303 | P39 | #56303US | P39 |
| #56286 | P39 | #56289 | P39 |
| | | | |

| Flowclea | Flowclear™ Ozonator | | | | |
|----------|---------------------|-----|--|--|--|
| | #58203 | P40 | | | |
| | #58202 | P40 | | | |
| | | | | | |

| Replacement Silica | | | | |
|--------------------|--------|-----|--|--|
| | #58206 | P40 | | |

| Flowclear™ Chlorinator | | | |
|------------------------|----------|-----|--|
| | #58285 | P41 | |
| 5-2 | #58285US | P41 | |
| ~~~ | #58284 | P41 | |
| | | | |

| Flowclear | ™ Sand Filter | |
|-----------|---------------|-----|
| Ch. | #58272 | P42 |
| K. 2 | #58272US | P42 |
| 0 | #58271 | P42 |

Flowclear™ Sand Filter

| | #58269 | P43 |
|-----|--------------------|------------|
| | #58269US | P43 |
| | #58257 | P43 |
| | #58258 | P43 |
| 1 | | |
| | #58270 | P44 |
| ph. | #58270 #58270US | P44 P44 |
| (| | |
| Ś | #58270US | P44 |

Flowclear[™] Sand Filter with Ozonator

| | #58287 | P45 |
|--|----------|-----|
| | #58287US | P45 |
| | #58286 | P45 |
| | | |



Pool+ Drain Pump

| 個 | #58261 | P47 |
|---|--------|-----|
| | #58230 | P47 |

Filter Cartridge Cleaner

7. #58219

P47

Flowclear™ Filter Pumps

| | #58144 | P48 |
|--------------|--------------|--------------|
| 1 | #58144US | P48 |
| 7 | #58145 | P48 |
| | #58147 | P48 |
| #58147US P48 | #58148 P48 | #58149 P48 |
| #58116 P49 | #58116US P49 | #58117 P49 |
| #58118 P49 | #58121 P49 | #58121US P49 |
| #58122 P49 | #58123 P49 | #58222 P49 |
| #58222US P49 | #58221 P49 | #58229 P49 |

| Filter Cartridges | | | | |
|-------------------|------------|--------|-----|--|
| | #58093 | | P48 | |
| | #58094 | | P48 | |
| | #58012 | #58012 | | |
| | #58095 P48 | | | |
| #58168 | P48 | #58239 | P48 | |

Hose Adapters #58236 P49 Hoses #58245 P49 P49

Q #58246

| Solar Pool Covers | | | | | | |
|-------------------|--------|-----|--------|-----|--|--|
| | #58241 | | | P50 | | |
| \sim | #58242 | | | P50 | | |
| | #58252 | | | P50 | | |
| #58172 P50 | #58253 | P50 | #58173 | P50 | | |
| #58243 P50 | #58244 | P50 | #58240 | P50 | | |
| #58151 P50 | #58254 | P50 | #58228 | P50 | | |
| #58255 P50 | #58155 | P50 | #58152 | P50 | | |
| #58153 P50 | #58060 | P50 | #58061 | P50 | | |
| #58062 P50 | #58065 | P50 | #58066 | P50 | | |

| Pool Covers | | | | | | |
|-------------|-----|--------|-----|--------|-----|--|
| | | #58032 | | | P51 | |
| 5 | | #58033 | | | P51 | |
| | | #58034 | | | P51 | |
| | | #58035 | | | P51 | |
| #58073 | P51 | #58036 | P51 | #58037 | P51 | |
| #58248 | P51 | #58038 | P51 | #58134 | P51 | |
| #58249 | P51 | #58039 | P51 | #58103 | P51 | |
| #58104 | P51 | #58105 | P51 | #58106 | P51 | |
| #58107 | P51 | #58231 | P51 | #58232 | P51 | |

| Ground Cloths | | | | | | |
|---------------|-----|--------|-----|--------|-----|--|
| | | #58000 | | | P52 | |
| | | #58001 | | | P52 | |
| | | #58002 | | | P52 | |
| | | #58003 | | | P52 | |
| #58251 | P52 | #58031 | P52 | #58100 | P52 | |
| #58101 | P52 | #58102 | P52 | #58264 | P52 | |

Pool Floor Protector #58220 P52 #58265 P52

Pool Ladders

| 69 | #58043 | | | P53 |
|------------|--------|-----|----------|-----|
| 68 | #58046 | | | P53 |
| BR. | #58042 | | | P53 |
| -7 | #58045 | | | P53 |
| #58041 P53 | #58044 | P53 | #58044FR | P53 |
| #58096 P53 | #58097 | P53 | #58097FR | P53 |
| #58159 P53 | #58160 | P53 | #58160FR | P53 |

Pool Accessories

| #58013 | P54 | #58098 | P54 | #58212 | P54 |
|--------|-----|--------|-----|--------|-----|
| #58234 | P54 | #58237 | P55 | #58233 | P55 |
| #58195 | P55 | #58277 | P56 | #58278 | P56 |
| #58279 | P56 | #58280 | P56 | #58281 | P57 |
| #58282 | P57 | #58210 | P57 | #58071 | P57 |
| #58209 | P57 | #58142 | P58 | #58247 | P58 |
| #58275 | P58 | #58274 | P58 | #58225 | P58 |
| #62068 | P59 | #62021 | P59 | #62022 | P59 |
| #58110 | P59 | #58072 | P59 | #58268 | P60 |
| #58207 | P60 | #58111 | P60 | #58288 | P61 |
| #58224 | P61 | | | | |
| | | | | | |

Mini Above Ground Pools



Splash-in-Shade Play Pool

